

State	segmentna P	refvariance	samplevari	se	P-PO	lowerCL	upperCL	
	SBEMHa	0.43	0.050032	0.022219	0.268794	0.38	-0.07	0.82
md	SASOH	0.29	0.028564	0.018657	0.217305	0.24	-0.12	0.59
	YRKPHa	0.34	0.029408	0.006595	0.189746	0.29	-0.02	0.60
	JMSPHa	0.18	0.028359	0.006913	0.187809	0.13	-0.18	0.43
	CB8PHa	0.24	0.021143	0.013859	0.187088	0.19	-0.12	0.49
	RPPTFa	0.18	0.010348	0.016557	0.164028	0.13	-0.14	0.40
	MPNOHa	0.25	0.007506	0.018506	0.161283	0.20	-0.07	0.46
	CHKOHa	0.24	0.004927	0.020284	0.158779	0.19	-0.07	0.45
	CRRMHa	0.30	0.010697	0.013067	0.154155	0.25	-0.01	0.50
md	BSHOH	0.26	0.009314	0.012089	0.146299	0.21	-0.03	0.45
md	CHOMH2	0.15	0.009758	0.010845	0.143537	0.10	-0.13	0.34
md	LCHMH	0.13	0.008257	0.012228	0.143124	0.08	-0.16	0.31
	PMKTFa	0.25	0.000816	0.017191	0.13419	0.20	-0.02	0.42
	YRKMHa	0.17	0.014515	0.00194	0.128274	0.12	-0.09	0.33
	CB5MH-VA	0.24	0.006751	0.009584	0.12781	0.19	-0.02	0.40
md	POTTF	0.18	0.000123	0.014953	0.122784	0.13	-0.07	0.33
md	CHSMH	0.21	0.007959	0.004849	0.113175	0.16	-0.03	0.34
	JMSTFa	0.23	0.005983	0.0068	0.113063	0.18	-0.01	0.36
md	MANMH	0.18	0.002631	0.009993	0.112354	0.13	-0.05	0.32
	CB6PHa	0.16	0.004153	0.005783	0.09968	0.11	-0.06	0.27
md	WICMH	0.08	0.001569	0.007726	0.096413	0.03	-0.12	0.19
md	GUNOH	0.14	0.000964	0.007508	0.092042	0.09	-0.06	0.24
	JMSMHa	0.18	0.006453	0.001981	0.09184	0.13	-0.03	0.28
md	NANMH	0.05	0.001217	0.003603	0.069423	0.00	-0.11	0.12
md	CB1TF	0.06	0.001854	0.002282	0.064312	0.01	-0.10	0.11
md	CB2OH	0.04	0.000195	0.000701	0.029927	-0.01	-0.06	0.04

≥

UCL-LCL	ntotal	Impaired	MEAN_BIB	N_2_7	N_3_0	pct_2_7	pct_3_0	Pct_Degr
0.88	12	NO	2.20	0	0	0.00%	0.00%	
0.71	12	NO	2.65	5	5	41.67%	41.67%	58.33%
0.62	35	NO	2.39	9	9	25.71%	25.71%	
0.62	22	NO	3.00	11	11	50.00%	50.00%	
0.61	14	NO	3.10	11	11	78.57%	78.57%	
0.54	10	NO	3.12	7	7	70.00%	70.00%	
0.53	11	NO	3.07	5	5	45.45%	45.45%	
0.52	10	NO	2.91	6	6	60.00%	60.00%	
0.51	17	NO	1.97	2	2	11.76%	11.76%	
0.48	17	NO	2.76	9	9	52.94%	52.94%	47.06%
0.47	13	NO	2.89	7	7	53.85%	53.85%	46.15%
0.47	10	NO	2.53	2	2	20.00%	20.00%	80.00%
0.44	12	NO	3.32	9	9	75.00%	75.00%	
0.42	75	NO	2.52	24	24	32.00%	32.00%	
0.42	20	NO	2.92	10	10	50.00%	50.00%	
0.40	11	NO	3.16	8	8	72.73%	72.73%	27.27%
0.37	35	NO	2.79	16	16	45.71%	45.71%	54.29%
0.37	27	NO	2.91	13	13	48.15%	48.15%	
0.37	16	NO	2.58	7	7	43.75%	43.75%	56.25%
0.33	24	NO	3.20	15	15	62.50%	62.50%	
0.32	11	NO	2.73	5	5	45.45%	45.45%	54.55%
0.30	17	NO	3.09	14	14	82.35%	82.35%	17.65%
0.30	74	NO	2.69	28	28	37.84%	37.84%	
0.23	15	NO	2.78	7	7	46.67%	46.67%	53.33%
0.21	25	NO	3.46	22	22	88.00%	88.00%	12.00%
0.10	58	NO	3.53	55	55	94.83%	94.83%	5.17%

HIGH MES(HIGH MES(LOW MES(OLIGOHALI POLYHALIN POLYHALIN TIDAL FRES N							Average BI	
	1			7	4		12	2.2
		1	10			1	12	2.645
	1			21	13		35	2.380857
				7	14		21	3.089048
				1	13		14	3.095
			1			9	10	3.117
3	1	6	1				11	3.193636
			8			2	10	2.9
8	8	1					17	1.965294
		7	9			1	17	2.761176
2	5	6					13	2.892308
4	6						10	2.533
			8			4	12	3.260833
29	3		1	32	10		75	2.476
2	11			1	6		20	2.9425
			4			7	11	3.157273
7	7	21					35	2.790286
			11		1	15	27	2.951852
8	5			1	2		16	2.584375
1	2			10	11		24	3.222083
7	3	1					11	2.734545
		11	6				17	3.094118
21	6	10		22	15		74	2.696622
9	2	4					15	2.778667
		1	11			13	25	3.4624
		48	10				58	3.531034

Stdev BIBI N <= 2 BIBI N 2.1-2.64 N 2.65-2.9 N 3-3.99 BI N >=4 BIBI

0.332429	4	7	1		
0.694203	3		4	5	
0.711094	16	8	2	8	1
0.851087	2	4	4	8	3
0.673324	1	1	1	10	1
1.039338	2		1	3	4
0.950487	1	4		2	4
0.667965	2	1	1	5	1
0.692803	10	2	3	2	
0.512712	3	2	3	9	
0.769341	2	3	1	6	1
0.740976	3	2	3	1	1
0.877512	1	2		6	3
0.743303	32	11	10	18	4
1.132807	6	1	3	4	6
0.826851	2	1		5	3
0.736284	7	10	2	14	2
1.063311	7	4	2	8	6
0.855507	6		3	5	2
0.975963	4	4	1	10	5
0.872701	2	2	2	5	
0.53661	2	1		14	
0.743471	18	20	9	21	6
0.79805	5	1	2	7	
0.718739	1	1	1	14	8
0.590301	1	1	1	44	11