



## **Urban Stormwater Workgroup (USWG)**

### **Teleconference**

**Tuesday, September 18<sup>th</sup>, 2012**

**10:00 AM to 12:00 PM**

**Call-in Number:** 866-299-3188; **code:** 410-267-5731

**Adobe Connect:** <https://epa.connectsolutions.com/uswg/>

---

**10:00 Welcome, Introductions, and Review of 8/14 Meeting Minutes (Attachment A)** **Norm Goulet, Chair**

**10:15 Expert Panel Updates--** **Goulet**

Norm will update the status of the two expert panels that have gone to the WTWG and WQGIT (stormwater retrofit/performance standards) and indicate where the other four expert panels are going.

**10:25 Action Item: Approve an errata correction to the performance standard panel** **Goulet**

West Virginia discovered an error in how removal rates for redevelopment projects are calculated, based on the unique way runoff is calculated from these projects in the WV MS4 permit. CSN concurs with a proposed correction to the memo that will change the WV entry in Table 6 to read "Target Tv (treatment volume, acre-feet) inserted into the following equation:  $(12 * EP)/IA$ , where IA where= acres of impervious area associated with the redevelopment project."

**10:30 USWG Priorities for the mid-point assessment (Attachment B)** **Goulet**

At the August meeting, Norm solicited work group input on what are important areas of focus for the 2017 midpoint assessment. Based on this feedback, and written comments from the work group, Jeremy Hanson compiled our list (see Attachment B). Larry Merrill, chair of WQGIT has requested that the workgroup prioritize the list, and identify the USWG's top 2 or 3 priority items for attention at the WQGIT's October meeting.

**11:30 Adjourn** **Goulet**