

# PA DEP Remote Sensing BMP Verification Pilot Project: Phase 1 Summary Report

CBP Watershed Technical Workgroup

Thomas Howard  
August 1, 2024





Thomas Howard

Founder & CEO  
Resolve Hydro LLC

## Agenda for Today's Presentation:

- Introduction, Motivation, and Background
- Phase I Method Development Plan Overview
- Next Steps, Future Opportunities, and Discussion

# The CBP defines four tillage regimes based on crop residue coverage

The conservation tillage BMP is applicable for select land uses, including soybeans, grain, silage, small grains, double cropped land, specialty crop, and other agronomic crops

## Conventional Tillage:

Any tillage routine that does not achieve 15% crop residue coverage immediately after planting



**Low Residue Tillage:** A routine that maintains 15% to 29% crop residue coverage immediately after planting each crop.


**Conservation Tillage:** A routine that maintains 30% to 59% percent crop residue coverage immediately after planting each crop.




**High Residue, Minimum Soil Disturbance Tillage:** A routine that maintains at least 60% crop residue coverage immediately after planting each crop.

# Conservation tillage minimizes disturbance to the soil and reduces nitrogen, phosphorus, and sediment loads to receiving waters


Conservation tillage offers field-level advantages as well as broader ecological benefits




Reduced Soil Erosion



Increased Carbon Sequestration



Increased Water Infiltration



Reduced Labor, Time, and Costs

	Nitrogen Reductions (%)	Phosphorus Reductions (%)	Sediment Reductions (%)
Low Residue	2 – 5	6 – 9	18
Conservation Tillage	4 – 10	2 – 60	41
High Residue	12 – 15	11 – 74	79


Nitrogen, Phosphorus, and Sediment Efficiency Value Reductions for Tillage Practices Implemented in the Chesapeake Bay Vary by Hydrogeomorphic Regions

# Conservation tillage BMPs represent a significant portion of agricultural load reductions in the Chesapeake Bay



Relative Influence of Conservation Tillage BMPs on Agricultural Load Reduction

● All Other Agricultural BMPs ● Conservation Tillage BMPs



**In Pennsylvania, conservation tillage is responsible for 74% of the agricultural BMP sediment load reduction!**

Actively tracking and promoting tillage BMP implementation is critical to meeting TMDL goals.


\*Based on 2023 Edge of Tide Progress Scenario



# Roadside transect surveys are the primary method used for reporting conservation tillage practices in Pennsylvania

- In PA, 33 counties are surveyed over a two-year period (total cost of ~\$300,000)
- Each county survey team is staffed with at least three individuals

Anticipated Mileage for 2024 Spring Tillage Survey	
County	Miles Driven
Bradford	286
Centre	236
Clinton	169
Columbia	221
Lancaster	437
Lebanon	215
Luzerne	256
Lycoming	221
Mifflin	322
Montour	251
Northumberland	232
Schuylkill	293
Sullivan	212
Susquehanna	180
Tioga	343
<b>TOTAL</b>	<b>3,874</b>



The 2023 Spring Tillage Survey included 800+ observations throughout Juniata County

# Prior CBP reports have identified the potential for remote sensing to perform BMP verification of conservation tillage practices

CBP/TRS-308-16

## Conservation Tillage Practices For Use in Phase 6.0 of the Chesapeake Bay Program Watershed Model



December 2016

## 4.4 Modeling Considerations

Verification will be possible through field visits (using CTIC protocol) and records of implementation of NRCS practice codes, either 329 or 345. Remotely sensed (aerial/satellite) estimates are also likely feasible given proper calibration.

## 5.2 Future Verification of Conservation Tillage Practices

The Panel envisions that potential opportunities may exist in the future for utilizing alternative forms of BMP verification, such as remote sensing from satellite, aerial, and drone imagery.

## 6 Data Gaps and Research Needs

Calibration of remotely-sensed information for residue cover data should be continued and expanded through the watershed.

# PA-DEP Pilot Project Overview

## Remote Sensing-Based Verification of Conservation Tillage BMPs

### Phase 1: Methodology Development Plan

(Spring 2024)

- Develop a comprehensive plan and **written report** documenting how to develop and evaluate a method for remote sensing-based verification of conservation tillage practices

### Phase 2: Method Development and Evaluation

(Summer 2024 – Winter 2025)

- Train and test **machine learning models** that use satellite imagery to classify the degree of conservation tillage in a field (e.g., >60% residue)
- Develop and evaluate a **BMP verification methodology** and report

### Phase 3: Implementation



(Spring 2025)

- Employ the model and method generated in Phase 2 to **characterize conservation tillage implementation** in agricultural areas located in the PA jurisdiction of the Chesapeake Bay Watershed during the 2025 season



# Proposed Pilot Project Timeline

## PA-DEP Remote Sensing-Based Verification of Conservation Tillage BMPs Pilot Project





**Chesapeake Bay Program**  
*Science. Restoration. Partnership.*

We seek to obtain AgWG feedback and official approval on the developed methodology at the end of Phase 2 of the pilot project.

# Proposed Pilot Project Timeline

## PA-DEP Remote Sensing-Based Verification of Conservation Tillage BMPs Pilot Project



**Chesapeake Bay Program**  
*Science. Restoration. Partnership.*

We seek to obtain AgWG feedback and official approval on the developed methodology at the end of Phase 2 of the pilot project.

# Phase 1 Progress Update





# Phase 1 objectives were designed to position the PA-DEP team for success in later project phases

Four primary project objectives were defined for Phase 1 of the pilot project



**Objective 1: Gather and synthesize available data** regarding conservation tillage surveys from 2015 to the present



**Objective 2: Establish a core project team**, project advisory committee (PAC), and engagement structure



**Objective 3: Generate a written report** documenting a proposed technical approach for subsequent project phases



**Objective 4: Collect and incorporate feedback** from the CBP Agriculture Workgroup to refine the overall project approach

# Phase 1 objectives were designed to position the PA-DEP team for success in later project phases

Four primary project objectives were defined for Phase 1 of the pilot project



**Objective 1: Gather and synthesize available data** regarding conservation tillage surveys from 2015 to the present



**Objective 2: Establish a core project team, project advisory committee (PAC), and engagement structure**



**Objective 3: Generate a written report** documenting a proposed technical approach for subsequent project phases




**Objective 4: Collect and incorporate feedback** from the CBP Agriculture Workgroup to refine the overall project approach

# In Phase 1, Resolve Hydro reviewed historical data, past reports, and current methods for reporting conservation tillage BMPs in Pennsylvania



**Objective 1:** Gather and synthesize available data regarding conservation tillage surveys from 2015 to the present



Map of PA Transect Surveys

Capital RC&D provided **transect survey data across 30 counties** and demonstrated transect survey procedures in Lancaster County



Farm Survey Vehicle

\*Transect route in Schuylkill County is not represented above but will be included in the Phase 1 report




# In Phase 1, Resolve Hydro reviewed historical data, past reports, and current methods for reporting conservation tillage BMPs in Pennsylvania



**Objective 1:** Gather and synthesize available data regarding conservation tillage surveys from 2015 to the present

Capital RC&D Conservation Tillage Transect Survey Observations (2020-2023)



**Preliminary data processing identified over 40,000 eligible data points across 30 counties for use in Phase 2 Model Development**

\*"No Observation Reported" identifies observation points with land uses ineligible for conservation tillage BMPs (e.g., pastures and developed impervious areas) as well as abandoned observation points

# Phase 1 objectives were designed to position the PA-DEP team for success in later project phases

Four primary project objectives were defined for Phase 1 of the pilot project



**Objective 1: Gather and synthesize available data** regarding conservation tillage surveys from 2015 to the present



**Objective 2: Establish a core project team, project advisory committee (PAC), and engagement structure**



**Objective 3: Generate a written report** documenting a proposed technical approach for subsequent project phases



**Objective 4: Collect and incorporate feedback** from the CBP Agriculture Workgroup to refine the overall project approach

# PA DEP’s pilot project emphasizes stakeholder engagement and encourages feedback on the project approach and analysis



**Objective 2:** Establish a core project team, project advisory committee (PAC), and engagement structure

Core Project Team	Project Advisory Committee (PAC)	Other Engaged Stakeholders
<ul style="list-style-type: none"><li>• Scott Heidel, PA DEP</li><li>• Ashley Hullinger, PA DEP</li><li>• Mike Morris, PA DEP</li><li>• Tyler Trostle, PA DEP</li><li>• Tom Howard, Resolve Hydro</li></ul>	<ul style="list-style-type: none"><li>• Chris Brosch, DDA</li><li>• Clint Gill, Delaware DDA</li><li>• Nick Hepfl, HRA</li><li>• Emily Dekar, Upper Susquehanna Coalition</li><li>• Stuart Blankenship, VA DCR</li><li>• Cindy Shreve, WVCA</li><li>• Hankui Zhang, South Dakota State University</li><li>• Dean Hively, USGS</li></ul>	<ul style="list-style-type: none"><li>• Chesapeake Bay Program Office and Workgroups</li><li>• Conservation District Personnel</li><li>• Capital RC&amp;D</li><li>• Independent Review Group (TBD)</li></ul>
Biweekly meetings	Monthly meetings	Regular progress updates



# Phase 1 objectives were designed to position the PA-DEP team for success in later project phases

Four primary project objectives were defined for Phase 1 of the pilot project



**Objective 1: Gather and synthesize available data** regarding conservation tillage surveys from 2015 to the present



**Objective 2: Establish a core project team**, project advisory committee (PAC), and engagement structure



**Objective 3: Generate a written report** documenting a proposed technical approach for subsequent project phases



**Objective 4: Collect and incorporate feedback** from the CBP Agriculture Workgroup to refine the overall project approach

# The Phase 1 Methodology Development Plan outlines the Phase 2 project workflow



**Objective 3:** Generate a written report documenting a proposed technical approach for subsequent project phases

## Proposed technical workflow for Phase 2: Method Development and Evaluation



# Overview of Task 1: Data Collection and Preprocessing

## Task 1

Data Collection  
and Pre-  
Processing

## Task 2

Satellite Data  
Acquisition

## Task 3


Model  
Development

## Task 4

Model Evaluation  
and Performance  
Quantification

## Task 5

Methodology  
Development and  
Reporting




Obs. #	Left/Right	Planted Crop	Cover Crop Kill	<15% Residue Coverage	15-30% Residue Coverage	30-60% Residue Coverage	>60% Residue Coverage	No-till (Yes/No)	Land Use
249	Left	Corn	<Null>	<Null>	<Null>	<Null>	X	Yes	<Null>
249	Right	Soybean	<Null>	<Null>	<Null>	<Null>	X	Yes	<Null>

Transect survey observations (available 2020 – present) are currently tabulated but not geo-referenced


In Task 1, Resolve Hydro will **compile, clean, and geolocate transect data** from 30+ county datasets provided by Capital RC&D




# Overview of Task 2: Satellite Data Acquisition



# Overview of Task 2: Satellite Data Acquisition




In Task 2, Resolve Hydro will **acquire and process surface reflectance measurements** from Sentinel-2, Landsat 8/9, and Planet SuperDove satellites




This task will develop the cleaned satellite matchup dataset used for model development and testing

# Overview of Task 3: Model Development



Task 3 encompasses **data splitting and model training steps**. Following model development, the overall performance of shortlisted models will be tested in Task 4.

# Overview of Task 4: Model Evaluation and Performance Quantification



In Task 4, Resolve Hydro will use the testing dataset to **evaluate the overall performance of the shortlisted models** developed in Task 3

## Key Performance Metrics:

- Micro-average and macro-average precision, recall, and F1-score
- Cohen's Kappa
- Cross-entropy
- Matthew's correlation coefficient
- Accuracy
- False Positive Rate
- Critical Success Index
- False Alarm Rate
- Frequency Bias


## Key Evaluation Contexts:

- Crop type
- County
- Hydrogeomorphic region (CBP)
- Major physiographic section (PA)
- Soil class and percent slope
- In regions for which historical data was used for model training
- In regions for which historical data was not used for model training

**Metrics will be used to help explain model errors, provide recommendations regarding model application in new areas, and select a “best-performing model”**



# Overview of Task 5: Methodology Development and Reporting



In Task 5, Resolve Hydro will compose a **model development report** and a **standard operating procedure** for using remote sensing for BMP verification of conservation tillage

## Model Development Report:


- Document and compare the assumptions and processes used to create the “best performing” and shortlisted models
- Report the model performance in accordance with CBP’s *Recommendation Report*<sup>1</sup>

## Standard Operating Procedure:

- Set guidelines for remote sensing model documentation, performance testing, verification using in-situ data collection, and statistical review
- Specify approach for how to apply a remote sensing model for verifying conservation tillage

<sup>1</sup> *Recommendation Report the Establishment of Uniform Evaluation Standards for Application of Remote Sensing to Identify and Inventory Agricultural Conservation Practices for the Chesapeake Bay Program Partnership’s Watershed Model*

# Overview of Task 5: Methodology Development and Reporting



# Phase 1 objectives were designed to position the PA-DEP team for success in later project phases

Four primary project objectives were defined for Phase 1 of the pilot project



**Objective 1: Gather and synthesize available data** regarding conservation tillage surveys from 2015 to the present



**Objective 2: Establish a core project team**, project advisory committee (PAC), and engagement structure



**Objective 3: Generate a written report** documenting a proposed technical approach for subsequent project phases




**Objective 4: Collect and incorporate feedback** from the CBP Agriculture Workgroup to refine the overall project approach

# Workgroup feedback is critical to project success



**Objective 4:** Collect and incorporate feedback from the CBP Agriculture Workgroup to refine the overall project approach





- **Email comments and feedback** on the Methodology Development Plan to Eric Hughes ([hughes.eric@epa.gov](mailto:hughes.eric@epa.gov)) and Caroline Kleis ([kleis.caroline@epa.gov](mailto:kleis.caroline@epa.gov)) by August 8
- **Connect with PA DEP and Resolve Hydro**
  - Scott Heidel ([scheidel@pa.gov](mailto:scheidel@pa.gov))
  - Ashley Hullinger ([ahullinger@pa.gov](mailto:ahullinger@pa.gov))
  - Tom Howard ([thoward@resolvehydro.com](mailto:thoward@resolvehydro.com))
- **Provide feedback during monthly Agriculture Workgroup updates**

The Phase 1 report was posted on the [CBP Agriculture Workgroup website](#)



# Proposed Pilot Project Timeline

## PA-DEP Remote Sensing-Based Verification of Conservation Tillage BMPs Pilot Project



**Chesapeake Bay Program**  
*Science. Restoration. Partnership.*

We seek to obtain AgWG feedback and official approval on the developed methodology at the end of Phase 2 of the pilot project (Spring 2025).



THANK YOU

Tom Howard

215-498-0717

thoward@resolvehydro.com

Copyright 2024 Resolve Hydro LLC  
All rights reserved

Processed by Resolve Hydro LLC  
Powered by Planet

