







2024 ed. LULC Data Project Overview:

"Everything is related to everything else, but near things are more related than distant things." W. Tobler

Steven Guinn, Chesapeake Conservancy Land Use Workgroup | 18 September 2024

Architecture Changes in the 2024 Edition



The major changes to the 2024 Edition of the LULC model architecture involved improvements to the pre-processing of input data, modernizing existing coding paradigms, and better communication and validation across the separate submodules. These changes resulted in:

- Improved input data validation
- Increases in performance and stability of the model
- Reduction in processing time during and after development
- Consistency in output





Changes to the methodology in the current model version were based on the extensive feedback the Chesapeake Conservancy received both from the 2022 Edition release, and that from the current version during its development phase. The significant changes can be classed as changes to:

- Tree Canopy
- Agriculture
- General Land Use
- Waters and Wetlands

Methodology Changes in the Tree Canopy





Changes to the TC module affected both how understory was mapped and how the Forest class was assigned. They included:

- Reduced Trees over Turf Buffer (20-meter to 10-meter)
- Limit Trees over Turf Buffer to parcel boundaries
- No buffer for turf in large parcels (over an acre) for trees over turf
- Forests diameter decreased from 72-meters to 36-meters
- Forests patch is >= 36-meters in diameter throughout the entire patch
- Successional areas (natural succession and harvested forest) with >= 10% canopy are included as forested area

Methodology Changes in the Tree Canopy





These changes resulted in:

- Moderate increases in Forest class (FORE)
- Large increases in Tree Canopy over Other (TCOT)
- Similar decrease in Tree Canopy over Turf Grass (TCTG)
- An updated description for Forest class:
 - Tree canopy with an unmanaged understory that is part of a large patch. Large patches are at least 1-acre in size with a minimum patch diameter of 36-meters (~120 feet) and may include areas of early successional forest (natural succession and harvested forest). Smaller patches of tree canopy are classed as forest if they are part of a large early-successional forest patch and comprise at least 10% of the patch area. Forests that are also wetlands are included in this class.

Tree Canopy in Developed Areas










2024 Edition







Changes to Agriculture involved primarily relying on the Cropland Dataset Layer (CDL) as the primary data input to classify the Land Use of low vegetation.

Rules that homogenized and reduced the over classification of cropland in suburban and institutional parcels

Agricultural lands converting to development are no longer considered agriculture during the development phase, but as the appropriate developed Land Use





Where the non agriculture low vegetation, shrublands, and barren Land Uses are assigned, changes were made to best reflect the feedback received from stakeholders and partners, while maintaining overall model performance.

- Small parcels with structures have all low vegetation classed as Turf Grass
- Larger parcels were allowed to grow turf away from buildings
- Low vegetation and shrubland surrounded by Tree Canopy, Harvested Forest, or Natural Succession are now always classed as Natural Succession Land Use
- Adjacency information assigns the most likely Land Use based on the amount and type of land cover and land use, resulting in a more homogenized landscape





The water and wetland layer processing was modified so that the water footprint was stabilized through time. This was done in order to reduce the false Land use change that arises from the seasonality of data collection in respect to water features.


Local Review Results



| State | Occurrence | |
|-------|------------|--|
| VA | 795 | |
| MD | 387 | |
| PA | 329 | |
| NY | 128 | |
| WV | 100 | |
| DC | 48 | |
| DE | 47 | |

111 out of 205 Counties (54%)
Submitted Feedback

Total submitted: 1995 Valid Feedback: 1834



Local Review Results





Top 10 proposed corrections

| Proposed Correction | Occurrence | |
|---------------------------|------------|--|
| Turf Grass | 552 | |
| Natural Succession | 258 | |
| Cropland | 251 | |
| Pervious Developed, Other | 217 | |
| Pasture and Hay | 97 | |
| Forest | 82 | |
| Water | 66 | |
| Tree Canopy, Other | 63 | |
| Impervious Structures | 62 | |
| Impervious, Other | 59 | |

Errors by Type

| Error Type | Occurrence |
|--------------|------------|
| LU | 1338 |
| LC | 493 |
| Unidentified | 3 |

Local Review Results





Top 10 observed errors

| Current LU to Proposed Correction | | |
|-----------------------------------------------------------------------------|--|-----|
| Turf Grass mistaken as Pasture and Hay Herbaceous | | 239 |
| Turf Grass mistaken as Suspended Succession Herbaceous | | 165 |
| Cropland Herbaceous mistaken as Pasture and Hay Herbaceous | | 154 |
| Natural Succession Herbaceous mistaken as Harvested Forest Herbaceous | | 106 |
| Pervious Developed, Other Herbaceous mistaken as Pasture and Hay Herbaceous | | 82 |
| Natural Succession Herbaceous mistaken as Pasture and Hay Herbaceous | | 54 |
| Pasture and Hay Herbaceous mistaken as Harvested Forest Herbaceous | | 44 |
| Turf Grass mistaken as Cropland Herbaceous | | 40 |
| Turf Grass mistaken as Natural Succession Herbaceous | | 37 |
| Cropland Herbaceous mistaken as Suspended Succession Herbaceous | | 34 |

Initial Local Review Results



For the top 3 proposed corrections:

- Accurate Turf Grass (TG) assignment was greatly improved where small residential parcels adjoining agricultural land and around institutional areas
- Natural Succession (NATS) assignment improved where large parcels having structures present
- Confusion between Pasture and Hay (PAST) and Cropland (CROP) remains problematic, small improvements were seen, but they might be statistically insignificant.
- Crop rotation and inherent issues in the CDL are part of the issue.

 Additionally, aerial imagery of alfalfa can easy be mistaken for row crops in the early stages of production. Alfalfa is considered "Hay" in our classification schema

Data Release Products



Land Use Land Cover (LULC)

- <co_fips>_lulc_2013_2024-Edition.tif
- <co_fips>_lulc_2017_2024-Edition.tif
- <co_fips>_lulc_2022_2024-Edition.tif

Land Use Land Cover Change (LULCC)

- <co_fips>_lulc-change_2013_2017_2024-Edition.tif
- <co_fips>_lulc-change_2013_2022_2024-Edition.tif
- <co_fips>_lulc-change_2017_2022_2024-Edition.tif

Land Use Land Cover Change (LULCC) Matrices

- <co_fips>_lulcc_matrices_2013_2024-Edition.xlsx
- <co_fips>_lulcc_matrices_2017_2024-Edition.xlsx
- <co_fips>_lulcc_matrices_2022_2024-Edition.xlsx

Metadata for all products

Science Base documentation with the project data dictionary

Data Availability



Once the data is ready for release, it will be available for viewing and downloading.

The official location of all the data and documentation for both the state and county level will be through the Science Base webpage and available for download.

Similar to the last data LULC data release, the Chesapeake Conservancy will be hosting a data viewing application. Additionally the viewer will be able to provide the links to the data hosted by Science Base, but not actually providing the data directly in order to reduce overhead and redundancy.

The new viewer is now actually three in one! A LULC viewer, LULC change viewer, and the hi-res hydrography viewer.

- The LULC viewer will have the ability to turn on the new hydro layer.
- The LULC will have three panes for simulatanous viewing of all three time periods at once

Land Use/Land Cover Data Project 2024 edition Current Production and Review Timeline



USGS Review

Final Production of new and revised LULC and LULCC products

UVM Land Cover has been delivered in full.Complete final production, compile metadata and complete model documentation, package data for delivery Beginning in October, the 2024 edition final data sets will be reviewed by the CBP USGS team for completeness and compliance Public Data Release

MId November the data will be publicly available on the Chesapeake Conservancy Data Viewer and Through the Science Base project webpage

| | Chesapeake Ba | ay Land Use/Cov | er Classification (2024 edition | n, 56 classes) |
|-----------------------|------------------------------------------|-------------------------|---------------------------------------|--------------------------------------|
| Water and W | later Margins | <u>Forest</u> | Agricultu | re |
| | 10 Tidal Waters | | Tree Canopy | Productive Lands |
| Lentic | | | 40 Forest | 80 Cropland Barren |
| 11 Lakes & Reservoirs | | 41 Tree Canopy Other | 81 Cropland Herbaceous | |
| | 12 Riverine Ponds 13 Terrene Ponds | | Open Space (temporary) | 82 Orchards and Vineyards Barren |
| | | | 42 Natural Succession Barren | 83 Orchards and Vineyards Herbaceous |
| | Lotic | | 43 Natural Succession Herbaceous | 84 Orchards and Vineyards Shrubland |
| | | eams and Rivers | 44 Natural Succession Shrubland | 85 Pasture and Hay Barren |
| | Water Margins | | 45 Harvested Forest Barren | 86 Pasture and Hay Herbaceous |
| | 15 Bai | re Shore | 46 Harvested Forest Herbaceous | |
| | | Wetlands | | |
| <u>Developmen</u> | <u>)T</u> | | Riverine | |
| | Impervious | | 50 Riverine Wetlands | |
| | 20 Ro | ads Barren | | |
| | 21 Structures | | 51 Riverine Wetlands Herbaceous | |
| | 22 Other Impervious (Pa | arking lots, driveways) | 52 Riverine Wetlands Shrubland | |
| | 23 TC over Roads 24 TC over Structures | | 53 Riverine Wetlands Tree Canopy | |
| | | | 54 Riverine Wetlands Forest | |
| | 25 TC over Other Imperv | vious | 55 Riverine Wetlands Harvested Forest | |
| | 31 Extractive Impervious | 3 | Terrene | |
| | 32 Solar Field Panel Arrays (impervious) | | 60 Terrene Wetlands | |
| Perviou | | Barren | | |
| . 5.1150 | | ee Canopy over Turf | 61 Terrene Wetlands Herbaceous | |
| Grass | 20 110 | or Samspy Stor Tan | 62 Terrene Wetlands Shrubland | |
| Olass | 27 Tur | rf Grass | 63 Terrene Wetlands Tree Canopy | |
| | | re Developed | 64 Terrene Wetlands Forest | |
| | 30 Extractive Barren | | 65 Terrene Wetlands Harvested Forest | |
| | 33 Solar Field Barren | | Tidal | |
| | 34 Solar Field Herbaceo | ous | 70 Tidal Wetlands | |
| | 35 Solar Field Shrubland | Dawas | | |
| | | spended Succession | 71 Tidal Wetlands Herbaceous | |
| Barren | | | 72 Tidal Wetlands Shrubland | |
| | | | 73 Tidal Wetlands Tree Canony | |

37 Suspended Succession

73 Tidal Wetlands Tree Canopy









Thanks for your time and valuable feedback! In addition to the amazing USGS team, none of this work is possible without the tireless efforts of the Chesapeake Conservancy's CIC team, with special thanks to:

Alicia Sabatino, GIS Web Developer/Cartographer Elliot Kurtz, Geospatial Data Engineer Patrick McCabe, Senior Geospatial Analyst



Emily Beach (she/her)
Director of the Conservation Innovation
Center, Chesapeake Conservancy
ebeach@chesapeakeconservancy.org



Questions? Feedback?