2016-2017 Chesapeake Bay Program Black Duck Action Team Workplan **PREFACE**

The purpose of the biennial workplan is to identify conservations steps to be taken over years 2016-2017 towards achieving the black duck outcome: "By 2025, restore, enhance and preserve wetland habitats that support a wintering population of 100,000 black ducks..." Included in this plan are four **Management Approaches** that our partnership will seek to carry out to meet the black duck outcome. Although the **Approaches** and **Key Actions** detail steps to be taken, some incrementally, we wish to execute the Actions of this workplan concurrently, and under two directives. Key **Actions 1** through **3** are to establish habitat targets to gain ground on habitat loss projections while **Actions 5** and **6** are to refine existing targets to mitigate habitat loss under current rates. The first directive involves the completion and delivery of decision support tool to evaluate future landscape conditions. The bioenergetics model will map food availability across the landscape and incorporate sea-level rise and urban development projections to identify vital habitat for black ducks within the Chesapeake Bay watershed. The support tool will guide decisions made towards vital habitat restoration, enhancement, protection and other future conservation efforts through the 2025 black duck outcome. The information from this tool will also be used to refine targets under **Key Actions 4, 5** and **6**. The intent of the second directive is to establish interim targets for and to maintain conservation efforts in known black duck areas under current landscape conditions. Goals established under **Key Actions 5** and **6** should seek to mitigate current wetland loss rates.

The intent of **Management Approach 4** is to ensure that smaller and more local conservation groups and actions are informed of the progress and efforts of the Habitat GIT and black duck team. Inclusion of these entities is imperative so our habitat restoration efforts can work in concert rather than independently. Outreach programs and cross-GIT coordination may remove obstacles to restoration for these groups by introducing them to funding opportunities, programs, and other restoration resources.

Key Action 8 highlights the obstacles that partners may encounter during wetland restoration permit acquisition. According to a Nature Conservancy and Ducks Unlimited 2015 report, permitting issues were prohibitive for smaller conservation groups. Partners should work to review the permitting process for smaller entities to streamline permit acquisition. This **Action** works in conjunction with **Action 7** to ensure partners are informed of the most appropriate resources and can be directed to the proper permitting outlet. Reducing the burden of time and investment in inquiry for these smaller groups may also incentivize their participation in wetland restoration efforts.

While **Key Action 9** is not emphasized in this workplan, the potential benefits from the auxiliary work should be included and documented as they pertain to black duck areas. There are species-specific conservation actions within the Chesapeake Bay watershed that may provide ancillary benefits to the black duck

outcome. Namely, controlling predation of other wetland bird breeding sites. Relieving predation pressure in wetlands and other areas where black ducks occur, or may occur, may benefit both breeding and wintering populations.

Habitats Goal: Restore, enhance and protect a network of land and water habitats to support fish and wildlife, and to afford other public benefits, including water quality, recreational uses and scenic value across the Black Duck Outcome: By 2025, restore, enhance and preserve wetland habitats that support a wintering population of 100,000 black ducks, a species representative of the health of tidal marshes across the watershed. Refine population targets through 2025 based on best available science.

Long term Target: Habitat for 100,000 wintering black ducks by 2025.

2 year Target: By 2017: X # acres of viable black duck wintering habitat restored, enhanced and/or preserved.

Management Approach 1: Restore degraded wetlands or vegetation in areas where black ducks have historically bred or wintered.						
Key Action: Habitat Restoration Description of work/project. Define each major action step on its own row. Identify specific program that will be used to achieve action.	Identify incremental steps to achieve Key	Participating Entity Identify responsible partner for each step.	Geographic Location	Timeline Identify completion date (month & year) for each step)	Factors Influencing and/or Gap Identify related factor or gap in Management Strategy	
1. Complete energetics models for several USFWS Refuges that will help define food availability for black ducks. Scientists will forecast the potential loss of habitats from sea-level rise and development to better understand food availability changes in the face of these two potential habitat stressors.		USGS, USFWS, BDJV, ACJV, State Partners, etc.		September 2016		
2. Develop a decision support tool to estimate wintering black duck habitat needs under current and future landscape conditions throughout the ACJV and the Atlantic Flyway and scale it to the Chesapeake Bay Watershed, and incorporate maps to show target areas.	a. Determine location and acreage of black duck winter habitat within respective jurisdictions for acquisition	-USGS, USFWS, BDJV, ACJV, DU, State Partners, etc.	ΙΔ(` Ι\/	DST - June 2016 Targets - 2017	Lack of comprehensive process to track and report wetland restoration. Also	
					lacking uniform or systematic wetland designation in reporting finer scale decisions can be made based on wetland type.	
3. Use the decision support tool to determine best places to do restoration, enhancement, management of key wetland or upland habitat for wintering, breeding or migrating black ducks.	concentrate acquisition/restoration efforts		Chesapeake Bay watershed	June-August 2016		
Restore tidal wetland hydrology and restore key habitat for breeding, migration routes and wintering grounds.	Continue/enhance restoration efforts in known black duck areas	USFWS, State Agencies, DU, etc.	Current wetland restoration areas in Chesapeake Bay watershed	Ongoing		
	b. Use decision support tool to identify new priority locations		Target areas in the Chesapeake Bay watershed, as identified by the support tool			

Management Approach 2: Enhance and manage wetlands or vegetation in areas where black ducks have historically bred or wintered.

Key Action: Habitat Enhancement and Management Description of work/project. Define each major action step on its own row. Identify specific program that will be used to achieve action.	Performance Target(s) Identify incremental steps to achieve Key Action.	Participating Entity Identify responsible partner for each step.	Geographic Location	Timeline Identify completion date (month & year) for each step)	Factors Influencing and/or Gap Identify related factor or gap in Management Strategy
5. Improve water level management on managed wetlands (replace compromised water control structures, leaking levees, etc. to improve management capability), restore SAV or converted wetlands, manage open marsh (to restore non-tidal waters back to salt marsh, for example), restore and manage riparian buffers, etc.	Enhance and manage priority habitats as identified by the support tool (how many water control structures replaced or installed, acres of habitat made available/enhanced, etc.)	USFWS, State Agencies, DU, etc.	Target areas in the Chesapeake Bay watershed, as identified by the support tool	Ongoing	Lack of comprehensive process to track and report wetland enhancement.
Management Approach 3: Protect wetlands or vegetation in areas where blac	k ducks have historically bred or winter	ed.			
Key Action: Habitat Protection Description of work/project. Define each major action step on its own row. Identify specific program that will be used to achieve action.		Participating Entity	Geographic Location	Timeline Identify completion date (month & year) for each step)	Factors Influencing and/or Gap Identify related factor or gap in Management Strategy
6. Protect key black duck habitats via long term protection actions such as fee title acquisition, conservation easements, cooperative agreements, or leases.	a. Prioritize known black duck areas for protection	USFWS, State Agencies, DU, etc.	Chesapeake Bay watershed	Ongoing	l and of
	b. Develop a NFWF proposal to provide assistance to partners in protection actions listed here			May 2016	Lack of comprehensive process to track and report wetland enhancement.
	c. Protect priority habitats as identified by the support tool (acres of coastal marsh, forested wetlands, etc. protected)		Target areas in the Chesapeake Bay watershed, as identified by the support tool	Ongoing	
Management Approach 4: Ensure appropriate planning tools and technical se	upport are available at the local level.				
Key Action: Habitat Restoration Description of work/project. Define each major action step on its own row. Identify specific program that will be used to achieve action.	Performance Target(s) Identify incremental steps to achieve Key Action.	Participating Entity Identify responsible partner for each step.	Geographic Location	Timeline Identify completion date (month & year) for each step)	Factors Influencing and/or Gap Identify related factor or gap in Management Strategy
7. Keep local officials engaged and informed. (use Cross-GIT coordinator to figure out how/if that is reflected in Local Leadership Workplan.) - healthy watersheds?	Communicate with Local Leadership Workgroup to discuss extension program or inclusion of decision support tool into LLW's content.	Conservation organizations, local governments, state agencies, etc.	Entire Chesapeake Bay watershed, and throughout the ACJV	August 2016	
8. Review regulations and permitting processes regarding wetland protection, restoration, and management to streamline planning and development of conservation actions.		Conservation organizations, local governments, state agencies, etc.	Entire Chesapeake Bay watershed, and throughout the ACJV	Ongoing	
9. Evaluate the effects of possible hybridization and disease transmission from captive-bred released waterfowl. Track predator management programs that may benefit wintering or breeding black duck populations.		USFWS, State Agencies, DU, etc.		Ongoing	

10. The Chesapeake Bay Commission will work collaboratively with the Bay				
Program partners to identify legislative, budgetary and policy needs to advance				
the goals of the Chesapeake Watershed Agreement. We will, in turn, pursue	CBC	Chesapeake Bay	Ongoing	
action within our member state General Assemblies and the United States	CBC	Watershed	Ongoing	
Congress. See CBC Resolution #14-1 for additional information on the CBC's				
participation in the management strategies				

Acronym Guide (for all workplans)

AACC - Anne Arundel Community College

ACFHP - Atlantic Coast Fish Habitat Partnership

ACJV - Atlantic Coast Joint Venture

AgNPS – Agricultural Non-Point Source Pollution Model

Appalachian LCC - Appalachian Landscape Conservation Cooperative

ASTSWMO – Association of State and Territorial Solid Waste Management Officials

BayFAST/CAST/MAST/VAST - Federal Assessment Scenario Tool/Chesapeake AST/Maryland AST/Virginia AST

BDJV - Black Duck Joint Venture

BKT - Brook trout

BMP - Best Management Practice

CAC - CBP Citizens' Advisory Committee

CAFO - Concentrated Animal Feeding Operation

CB - Chesapeake Bay

CBC - Chesapeake Bay Commission

CBF – Chesapeake Bay Foundation

CBIBS – Chesapeake Bay Interpretive Buoy System

CBIG - Chesapeake Bay Implementation Grants

CBP - Chesapeake Bay Program

CBPO - Chesapeake Bay Program Office

CBRAP - Chesapeake Bay Regulatory and Accountability Program grants

CBSAC - Chesapeake Bay Stock Assessment Committee

CBSSC - Chesapeake Bay Sentinel Site Cooperative

CBT - Chesapeake Bay Trust

CCWC - Choose Clean Water Coalition

CEAP - Conservation Effects Assessment Project

Chessie BIBI – Chesapeake Bay Basin-wide Index of Biotic Integrity

CNMP - Comprehensive Nutrient Management Plan

CNU - Christopher Newport University

CRC - Chesapeake Research Consortium

CREP - Conservation Reserve Enhancement Program

CSN – Chesapeake Stormwater Network

CWA - Clean Water Act

DAT – CBP Diversity Action Team

DC – District of Columbia

DCNR - Pennsylvania Department of Conservation and Natural Resources

DE - Delaware

DEP – Department of Environment

DE DNREC - Delaware Department of Natural Resources and Environmental Control

DNR -Department of Natural Resources

DoD - Department of Defense

DOEE - Dist. Of Columbia Department of Energy and Environment

DOF - Department of Forestry

DOT - Department of Transportation

DST - Decision support tool

DU - Ducks Unlimited

EC – Chesapeake Executive Council

EJ SCREEN - Environmental Justice Screening and Mapping Tool

EO Strategy – Executive Order 13508 Strategy for Protecting and Restoring the Chesapeake Bay Watershed

EJ – Environmental Justice

EL - Environmental Learning

ELCSS – Environmental Literacy Challenge for Systemic Sustainability

ERP – Elizabeth River Partnership

EPA – Environmental Protection Agency

Ex Comm - Executive Committee of the Sustainable Fisheries GIT

FERC – Federal Energy Regulatory Commission

FOD - Chesapeake Bay Program Federal Office Directors

FTE - full time employee

FWG - Forest Work Group

FWS - Fish and Wildlife Service

GIS – Geographic Information System

GIT - CBP Goal Implementation Teams

GMU - George Mason University

GSA - General Services Administration

HBCUs - historically black colleges and universities

HSCD - EPA Hazardous Site Cleanup Division

HWGIT – Healthy Watershed Work Group

ICPRB - Interstate Commission on the Potomac River Basin

IPC – Interfaith Partners for the Chesapeake

LCC - Landscape Conservation Cooperatives

LGAC - CBP Local Government Advisory Committee

LL – Local Leadership

LU - Land Use

LUWG – Land Use Work Group

MATOS - Mid-Atlantic Telemetry Observing System

MB - CBP's Management Board

MD - Maryland

MDE – Maryland Department of Environment

MDSG - Maryland Sea Grant

MOU - Memorandum of Understanding

MSP – Math Science Partnership

MS4 – Municipal Separate Storm Sewer System

MWCOG – Metropolitan Washington Council on Governments

MWEEs – Meaningful Watershed Educational Experiences

MWS - Master Watershed Stewards

NAAQS - National Ambient Air Quality Standards

NALCC - North Atlantic Landscape Conservation Cooperative

NATA – National Air Toxics Assessment

NCBO – NOAA Chesapeake Bay Office

NGO - Non-government organization

NEIEN – National Environmental Information Exchange Network

NERR - Chesapeake Bay National Estuarine Research Reserve

NFWF - National Fish and Wildlife Foundation

NOAA – National Oceanic and Atmospheric Administration

NP - National Parks

NPDES - National Pollutant Discharge Elimination System

NRCS - Natural Resources Conservation Service

NPS - National Park Service

NYS DEC - New York State Department of Environmental Control

ODU - Old Dominion University

ORES – Oyster Reef Ecosystem Services

ORP - Oyster Recovery Partnership

OSSE – Office of the State Superintendent of Education

PA - Pennsylvania

PA DEP – Pennsylvania Department of Environmental Protection

PCB – polychlorinated biphenyl

PMP -- Pollution Minimization Plan

PRFC - Potomac River Fisheries Commission

PSC - CBP's Principles' Staff Committee

QA - quality assurance

RFB - Riparian Forest Buffer

RMNs - Regional Monitoring Networks

SAV - Submerged Aquatic Vegetation

SERC - Smithsonian Environmental Research Center

SHWG - Stream Health Work Group

SRBC -- Susquehanna River Basin Commission

STAC – CBP Scientific and Technical Advisory Committee

STAR – CBP Scientific and Technical Assessment Research team

TCW – Toxics Contaminants Workgroup

TEA - Tidewater Ecosystem Assessment Division of MD DNR

TMDL - Total Maximum Daily Load

TNC - The Nature Conservancy

TSCA - Toxic Substance Control Act

UMBC – University of Maryland Baltimore County

UMCES – University of Maryland Center for Environmental Science

UMCES-CBL - University of Maryland Center for Environmental Science-Chesapeake Biological Lab

UMD - University of Maryland

USACE - U.S. Army Corps of Engineers

USDA – U.S. Department of Agriculture

USFWS - U.S. Fish and Wildlife Service

USFS - U.S. Forest Service

USGS – U.S. Geological Survey

UVA - University of Virginia

VA - Virginia

VCU - Virginia Commonwealth University

VA CZM – Virginia Coastal Zone Management

VBOE - Virginia Board of Education

VDGIF – Virginia Department of Game and Inland Fisheries VIMS – Virginia Institute of Marine Science

Virginia DEQ – Virginia Department of Environmental Quality
VMRC – Virginia Marine Resources Commission
WG – work group
WIP – Watershed Implementation Plan
WQN - Water Quality Network