Delaware's Non-Tidal Monitoring Update for CY 2011

February 8, 2012


Monitoring Sites

Two sites in Delaware:

1. Nanticoke River
USGS - 01487000
STORET - 304191

2. Marshyhope Creek

USGS - 01488500 STORET - 302031



Monitoring Sites



Nanticoke River





Marshyhope Creek



Status

- Monthly sampling started in Oct. 04
- Stations were upgraded to primary in Oct. 05
- Storm samples are sent to the USGS Kentucky lab for suspended sediment/sand-fine particle analysis. The remaining parameters are analyzed by DNREC Environmental Laboratory Services in Dover, DE.
- The sampling protocol developed by the Nontidal workgroup is being followed.

The following parameters are analyzed at DNREC lab (or measured in the field)

Nutrients

- Total Phosphorus
- Soluble Ortho-phosphorus
- Total Nitrogen
- Ammonia Nitrogen
- Nitrite+Nitrate N

Carbon and Organics

- Total Organic Carbon
- Dissolved Organic Carbon
- Chlorophyll-a
- BOD₅, N-Inhib (CBOD)
- BOD₂₀, N-Inhib (CBOD)

General Chemistry

- Dissolved oxygen
- Total Suspended Solids
- Alkalinity
- Chloride
- Hardness
- pH
- Conductivity
- Salinity
- Temperature
- Secchi Depth
- Turbidity

■ Bacteria

■ Enterococcus

Sampling Performed during 2011

Number of Sampling Events	Goal	Completed
Base Flow	12	12
Stormflow	4-8	5

Challenges

Collection of required number of storm samples is still a challenge. However, we took some steps last year and as the result, we are doing better now

Funding

- Monitoring at the Non-tidal monitoring sites in Delaware is supported by State General Fund and 106 Grant.
- During last couple of years, we faced significant cuts in our monitoring budget. However, it did not impact the Non-tidal monitoring program
- For 2012, we expect to be able to fully fund the Non-tidal monitoring.

New Activity for CY 2012

- We have recently signed a contract with University of Delaware to relocate our high-frequency water quality data analyzer (Aqulab by GreenSpan) from a site in the Inland Bays to Bridgeville site on the Nanticoke River
- We expect data analyzer to be installed and be ready for operation by early spring 2012
- The Aqualab can be programmed to collect samples with high frequency (for example, every hour or every 2 hours) and analyze them for several water quality parameters (including nutrients)

New Activity for CY 2012, cont.

- We plan to keep Aqualab at Bridgeville site for at least 2 years
- Data collected by Aqualab can be used to very accurately calculate nutrients load