Black Duck Logic Table and Work Plan (2018-2020)

Long-term Target: (the metric for success of Outcome): By 2025, restore, enhance, and preserve wetland habitats that support a wintering population of 100,000 black ducks, a species representative of the health of tidal marshes across the watershed.

Two-year Target: (increment of metric for success): Determine a habitat based acreage conservation goal to meet long term objectives.

Factor	Current Efforts	Gap	Actions (critical actions in bold)	Metrics	Expected Response and Application	Learn/Adapt
What is impacting our ability to achieve our outcome?	What current efforts are addressing this factor?	What further efforts or information are needed to fully address this factor?	What actions are essential to achieve our outcome?	Optional: Do we have a measure of progress? How do we know if we have achieved the intended result?	Optional: What effects do we expect to see as a result of this action, when, and what is the anticipated application of these changes?	Optional: What did we learn from taking this action? How will this lesson impact our work?
Use Conflict/Habitat Condition: Habitat loss (degradation, fragmentation, etc.)	Habitat loss, degradation and fragmentation through changes in land use (development, agriculture,		<u>1.1</u>	- Completed bioenergetics model/DST Monitoring of mid-winter survey numbers Monitor acres of black duck habitat (coastal land, etc.) protected Key areas Black Duck habitat restoration/protection defined.		
	offer sufficient food and implementation of Black shelter for black ducks. Black DST on state specific bas	- Complete development and implementation of Black Duck DST on state specific basis.	<u>1.2</u>			
		- Funding for on the ground conservation work.	<u>3.1</u>			
	etc.), enhance, and protect (land acquisition, etc.) this vital habitat.	,	<u>4.2</u>			
Biota: Food availability	Competition for food with other waterfowl and loss of food through habitat degradation poses issues for wintering black ducks, limits the number that can successfully utilize the CBW portion of the Atlantic Flyway. Food availability factors are being studied by USGS and incorporated into DST.	- Complete development of DST. -Need for refuge specific bioenergetics model (Berlin).	<u>1.1</u>	- Completed bioenergetics model/DST.		

Factor	Current Efforts	Gap	Actions (critical actions in bold)	Metrics	Expected Response and Application	Learn/Adapt
Habitat Condition: Shoreline disturbance	Disturbance from development and climate change impedes the use (food source, shelter, etc.) of the marshy shoreline habitat preferred by black ducks.	- As development and sea level rise rates increase, shorelines must be left natural for marshy habitat migration.	<u>3.1</u>	- Monitor acres of black duck habitat (coastal land, etc.) protected.		
Partner Coordination/Scientific and	The Atlantic Coast Joint artner Venture's Black Duck oordination/Scientific and bioenergetics model and DST echnical Understanding: allow for the Black Duck	- Need technical assistance to implement bioenergetics model/DST as new outcome indicator.	<u>4.2</u>	 Development of habitat based indicator. Development of outcome progress reporting/monitoring method. 		
Technical Understanding: Monitoring efforts		indicatorNeed for formal method with which to track/monitor partner outcome progress.	<u>4.3</u>	 - BDAT partners meet and coordinate on indicator, workplan actions. - Workplan, Logic Table, and Management Strategy updates as necessary. 		
Climate Change: Climate impacts (SLR, flooding, marsh migration, large storms, migration shifts)	Sea level rise causes marsh habitat to flood. Marshes kept from migrating by development, hardened shorelines.	- Need for land protection to allow for inland marsh migration.	<u>3.1</u>	- Monitor acres of black duck habitat (coastal land, etc.) protected.		
Partner	prioritization scheme for HUC12 watersheds. A 2017 GIT Funding Project will	- Ability to choose appropriate	<u>1.2</u>	 - Key areas Black Duck habitat restoration/protection defined. - Monitor acres of black duck habitat enhanced and/or 		
Coordination/Scientific and Technical Understanding: Habitat restoration		sites Lack of capacity (funding, personnel) for restoration efforts.	<u>1.3</u>			
			<u>4.4</u>	restored.		
Partner Coordination/ Scientific and Technical Understanding: Habitat	and Technical working to develop an enhancement/restoration prioritization scheme for	or	<u>1.2</u>	- Key areas Black Duck habitat restoration/protection defined.		
enhancement and management			<u>2.1</u>			

Factor	Current Efforts	Gap	Actions (critical actions in bold)	Metrics	Expected Response and Application	Learn/Adapt
	fall 2017). A 2017 GIT Funding Project will increase capacity, land conservation program outreach efforts on Delmarva.	management/enhancement efforts.	<u>4.4</u>	- Monitor acres of black duck habitat enhanced and/or restored.		
Partner Coordination/	A 2017 GIT Funding Project will increase NRCS capacity, land conservation program	- Ability to choose appropriate sites.	<u>1.2</u>	- Key areas of Black Duck habitat restoration/protection		
Scientific and Technical Understanding: Habitat	outreach efforts on Delmarva and NJ. NFWF grant to	- Need for sustained capacity (funding, personnel) for protection efforts.	<u>3.1</u>	defined Monitor acres of black duck		
protection	USFWS and DU to implement private land protection.		4.4	habitat (coastal land, etc.) protected.		
Government Agency Engagement: Adequate financial resources (administration, for incentives, etc.)	Funding is made available through the NFWF- Chesapeake Bay Stewardship Fund, NAWCA grant programs, USFWS Coastal Wetland grants, USFWS Partners for Fish and Wildlife Program grants, and cooperative agreements and NRCS Farm Bill incentives.	- Lack of funding available for black duck habitat adequate restoration, enhancement, and protection measures.	<u>3.1</u>			
Partner Coordination: Adequate extension infrastructure (outreach and technical assistance)	A 2017 GIT Funding Project will increase NRCS capacity, land conservation program outreach efforts on Delmarva and NJ.	- Land easements increasing while state managers remain the same/decrease, capacity issue.	4.1	 Number of local decision makers engaged. Informational communication materials created and distributed. 		

KEY: Use the following colors to indicate whether a Metric and Expected Response have been identified.							
Metric Specific metrics have not been identified							
Wietric	Metrics have been identified						
Expected	No timeline for progress for this action has been specified						
Response	Timeline has been specified						
WORK PLAN ACTIONS							
Green – action	has been completed or is moving forward as planned Yellow – action has encountered minor obstacles Red – action has not been taken or has encountered a serious barrier						

Action	Description	Performance Target(s)	Responsible Party & Geographic Location	Metrics	Expected Timeline			
Management Approach 1: Support efforts to restore Degraded Wetlands or Vegetation in Areas Where Black Ducks Have Historically Bred or Wintered.								
1.1	Develop a decision support tool (DST) to estimate wintering black duck habitat needs under current and future landscape conditions throughout the ACJV and the Atlantic Flyway and	 a. Determine location and acreage of black duck winter habitat within respective jurisdictions for acquisition. 	USGS, USFWS, BDJV, ACJV, DU, State Partners, etc.	- Completed bioenergetics model/DST.	2019			
	scale it to the Chesapeake Bay Watershed and incorporate maps to show target areas.	 b. Prioritize black duck winter habitat based on profitability and vulnerability. 	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
1.2	Use the DST to determine best places to do restoration, enhancement, and management of key wetland or upland habitat for wintering, breeding, or migrating black ducks.	a. Identify 3-4 key areas for partners to concentrate acquisition/restoration efforts.	USGS, USFWS, BDJV, ACJV, DU, State Partners, etc.	 Key areas Black Duck habitat restoration/protection defined. 	2019			
1.3	Support efforts to restore tidal wetland hydrology and restore key habitat for breeding,	a. Support restoration efforts in know black duck areas.b. Continue to use DST to identify new	USFWS, State Agencies, DU, etc.	- Monitor acres of black duck habitat enhanced and/or restored.	Ongoing			
	migration routes, and wintering grounds.	priority locations for habitat restoration.						
Management	Approach 2: Support efforts to Enhance and Manag	ge Wetlands or Vegetation in Areas Where Black	k Ducks Have Historically Bred o	or Wintered.				
2.1	Support partner efforts to improve water level management on managed wetlands (replace compromised water control structures, leaking levees, etc. to improve management capability), restore SAV or converted wetlands, manage open marsh (to restore non-tidal waters back to salt marsh, for example), restore and manage riparian buffers, etc.	a. Support efforts to enhance and manage priority habitats as identified by the DST (how many water control structures replaced or installed, acres of habitat made available/enhanced, etc.)	USFWS, State Agencies, DU, etc.	- Monitor acres of black duck habitat enhanced and/or restored.	Ongoing			
Management	Approach 3: Support efforts to Protect Wetlands or	Vegetation in Areas Where Black Ducks Have H	Historically Bred or Wintered.					
3.1	Support the protection of key black duck habitats via long term protection actions such as fee title acquisition, conservation easements, cooperative agreements, or leases.	a. Prioritize known black duck areas for protection using DST.	USFWS, State Agencies, DU, etc.	- Monitor acres of black duck habitat (coastal land, etc.) protected.	2019			
		b. Support the protection of priority habitats as identified by the DST (acres of coastal marsh, forested wetlands, etc. protected).			Ongoing			
		c. Encourage funding partners to prioritize use of Decision Support Tool						
Management	Management Approach 4: Support Other Conservation Actions Benefitting Waterfowl Habitats							
4.1	Keep local officials engaged in and aware of black duck habitat protection efforts and ways to	a. Work with Local Leadership Workgroup, Local Government Advisory Committee, Communications Team to distribute DST and	Conservation organizations, local governments, state agencies, etc.	- Number of local decision makers engaged.	2019			

	incorporate protection efforts into local decision making.	accompanying informational documents to local officials/decision makers.		- Informational communication materials created and distributed.	
	Improve methods of monitoring outcome	a. Develop and formally adopt habitat based indicator using bioenergetics model/DST.	USFWS, State Agencies, DU,	Development of habitat based indicator.Development of outcome progress	
4.2	progress.	b. Develop and adopt progress reporting/monitoring process.	etc.	reporting/monitoring method Monitoring of mid-winter survey numbers.	2019
4.3	Partner coordination; review and refine Black Duck guiding documents with new restoration/monitoring knowledge.	a. BDAT meets annually to revise Workplan, Logic Table, and Management Strategy as necessary.	Black Duck Action Team	 - BDAT partners meet and coordinate on indicator, workplan actions. - Workplan, Logic Table, and Management Strategy updates as necessary. 	2019 and 2020
4.4	Support scientific research efforts to remain up to date on Black Duck habitat needs	a. Explore including SAV habitat in development of new Outcome indicator	Black Duck Action Team, USGS	- Report on the exploration of including SAV habitat in the development of new Outcome indicator	2020