# Manure Injection/Incorporation Expert Panel Report

**Curtis Dell** 

**USDA-ARS** 

#### PANEL MEMBERS

Name	Affiliation	Role
	USDA-Agriculture Research	
Curt Dell	Service	Panel Chair
	University of Maryland –	
Art Allen	Eastern Shore	Panel Member
	USDA-Natural Resources	
Dan Dostie	Conservation Service	Panel Member
Robb Meinen	Penn State University	Panel Member
Rory Maguire	Virginia Tech	Panel Member
Chris Brosch	Delaware Department of	Watershed Technical
	Agriculture	Workgroup representative
		Modeling Team
Jeff Sweeney	CBPO  Wark Dubin (University of N	representative

Technical support provided by Mark Dubin (University of Maryland), Lindsey Gordon (CRC Staffer), and Don Meals (Tetra Tech).

## **Practice Categories**

- Manure Injection
  - Low disturbance
  - Immediate incorporation
  - Slot closure





### **Practice Categories**

- Manure Incorporation: Low Disturbance
  - <40% soil surface disruption</li>
  - Several tools possible, aerators probably most likely
  - Incorporation within 24 hr of manure application for full N credit





# **Practice Categories**

- Manure Incorporation: High Disturbance
  - >40 soil surface disruption
  - Full width tillage
  - Incorporation with 24 hr of manure application for full N credit



### Considerations

- N and P reductions considered separately
- No sediment reduction factors considered (handled through Conservation Tillage Panel)
- Full credit for N reduction requires manure incorporation within 24 hr. Lower credit values provided for longer delays in incorporation.
- Time until incorporation requirement for P credit to be determined.
- Two sets of factors due to differences in contribution of subsurface flow to over nutrient losses
  - Coastal Plain
  - Upland regions (Piedmont, Ridge and Valley, and Alleghany Plateau)
     considered

### Considerations

- Consider N and P losses relative to unincorporated, broadcast application.
  - Data from the watershed and more recent data given strongest weight
  - Unpublished data and best professional judgment used as needed
- Leaching losses not considered in reduction factors
  - Limited data, but no evidence to suggested reductions
- N reduction factor = ammonia reduction factor x portion of total N lost as ammonia
- P reduction factor = run off P reduction factor x portion of total P lost in runoff (run off load includes dissolved and sediment bound P)
- Portion of P lost with runoff differs greatly between Coastal Plain and upland regions (~10 vs ~80%)

#### Preliminary Reduction Factors for Upland Regions

Category	Time to	NH <sub>3</sub>	Fraction of	N	Time to	Runoff P	Fraction	P
	incorp.	Reduction	total loss	Factor	incorp.	reduction	of total	Factor
							loss	
Injection	Immediate	85%	60%	51%	≤7 days	<mark>45%</mark>	<mark>80%</mark>	<mark>36%</mark>
Low-disturbance	<1 day	50%	60%	30%	≤7 days	<mark>40%</mark>	<mark>80%</mark>	<mark>32%</mark>
incorporation	1-2 days	<mark>37%</mark>	60%	22%				
	2-3 days	<mark>34%</mark>	<b>60%</b>	20%				
	3-5 days	<b>25%</b>	<b>60%</b>	15%				
	5-7 days	<b>13%</b>	60%	8%				
	>7 days	<mark>0%</mark>	60%	0%				
High-disturbance	<1 day	<b>75%</b>	<mark>60%</mark>	45%	≤7 days	0%	<mark>80%</mark>	<mark>0%</mark>
incorporation	1-2 days	<mark>55%</mark>	<b>60%</b>	<mark>33%</mark>				
	2-3 days	<mark>50%</mark>	<b>60%</b>	<mark>30%</mark>				
	3-5 days	<mark>40%</mark>	<b>60%</b>	<mark>24%</mark>				
	5-7 days	<mark>20%</mark>	60%	12%				
	>7 days	0%	60%	0%				

Values highlighted in green have been approved by the Panel, and values in yellow are preliminary.

#### Preliminary Reduction Factors for the Coastal Plain

Category	Time to	NH <sub>3</sub>	Fraction of	N	Time to	Runoff P	Fraction	P
	incorp.	Reduction	total loss	Factor	incorp.	reduction	of total	Factor
							loss	
Injection	Immediate	85%	50%	51%	≤7 days	45%	10%	<mark>5%</mark>
Low-disturbance	<1 day	50%	50%	25%	≤7 days	40%	10%	4%
incorporation	1-2 days	<b>37%</b>	50%	19%				
	2-3 days	34%	50%	17%				
	3-5 days	<mark>25%</mark>	50%	13%				
	5-7 days	13%	<del>50%</del>	<b>7</b> %				
	>7 days	<mark>0%</mark>	50%	<mark>0%</mark>				
High-disturbance	<1 day	75%	50%	38%	≤7 days	0%	10%	0%
incorporation	1-2 days	<mark>55%</mark>	50%	<b>28%</b>				
	2-3 days	<mark>50%</mark>	50%	<b>25%</b>				
	3-5 days	<mark>40%</mark>	<del>50%</del>	<b>20%</b>				
	5-7 days	<mark>20%</mark>	<del>50%</del>	10%				
	>7 days	<mark>0%</mark>	<mark>50%</mark>	<mark>0%</mark>				

Values highlighted in green have been approved by the Panel, and values in yellow are preliminary.

### Timeline

- Panel meets next week to finalizes values
- Report will should be ready to post for public comment in early October