Impact of Warming and Sea Level Rise on Chesapeake Water Quality

Modeling Quarterly Review

January 15, 2015

Ping Wang, Lewis Linker, and the CBP Modeling Team



Chesapeake Bay Program Science, Restoration, Partnership



Background and Overview

The 2010 TMDL documentation and the 2009 Executive Order call for an assessment of the impacts of a changing climate on the Chesapeake Bay water quality and living resources. The Watershed, Water Quality and Sediment Transport Model (WQSTM) and living resource models will be used to examine the impact of climate change on projected water quality. Current efforts are to frame an initial future climate-change scenario based on estimated 2050 conditions. Conditions to be described include land use, rainfall, air temperature, water temperature, sea level rise, flows and loads from the watershed, increased rainfall intensity, and wetland loss due to sea level rise and associated water quality conditions in the tidal Bay.



Background and Overview

With the CBP models the various elements of climate change can be separately examined in order to understand their influence. The components we'll be examining today are the influence of an estimated 2050 condition of temperature increase (about 2°C), sea level rise (50 cm), and rainfall intensity.


What remains to be developed and examined in 2015 are:


- 2050 land use.
- 2050 flows and loads using latest IPCC downscaled climate change.
- Tidal marsh loss due to sea level rise (2016 product).
- A combined scenario of all components.



2050 Estimated Temperature Increase

The Phase 6 prototype calibration was used as a basis for relative differences with scoping scenarios of 2050 temperature change and sea level rise. Average of 1991-2000 June to September bottom cell DO shown.








2050 Estimated Temperature Increase

- The influence of an 2050 estimated temperature increase on Chesapeake hypoxia is small.
- But, we can measure in infinitesimal with our models. The estimated delta increase in Chesapeake hypoxia due to 2050 estimated temperature increases ranges from 0.06 to + 0.01 mg/l.
- Hypoxia increases are due to slight increases in vertical stratification due to the increased thermocline and because of increased respiration.


Temperature Increase Scenario (GW)






2050 Estimated Sea Level Rise

The Phase 6 prototype calibration was used as a basis for relative differences with scoping scenarios of 2050 temperature change and sea level rise. Average of 1991-2000 June-September bottom cell DO shown.








2050 Estimated Sea Level Rise

- The influence of an 2050 estimated sea level rise on Chesapeake hypoxia is small.
- The estimated delta increase in Chesapeake hypoxia due to 2050 estimated sea level rise ranges from + 0.3 to - 0.4 mg/l.
- Hypoxia decreases in the mid-Bay are due to increased ventilation of deep Chesapeake waters by high DO ocean waters and due to changes in vertical stratification.

Sea Level Rise Scenario (SLR)





How the findings fit into current literature

The increase of about a 1 cm year of sea level rise (SLR) is consistent with historical and current observed rates of sea level rise in the Chesapeake.

- Boon et al., 2010. Chesapeake Bay land subsidence and sea level change: an evaluation of past and present trends and future outlook.
- Updating Maryland's Sea-level Rise Projections Report, 2013
- Kemp et al., 2011. Climate related sea-level variations over the past two millennia.
- and others.

The increase in up-estuary salinity intrusion with SLR is consistent with historical observations and with Hilton et al., 2008 and Hong and Shen, 2012.

The increase in salinity flux at the mouth of the Bay with SLR is consistent with Hong and Shen, 2012.

The increase in rainfall intensity is consistent with historical observations for the last century and with Karl and Knight, 1997 and others.

- 1) Sea level rise (SLR) about 50 cm. It impacts Bay's salinity.
- 2) Air temperature increase 1.5-1.9 °C. Causing Water T increase.


Therefore, SLR and temperature increase will modify circulation, stratification, and WQ of the Bay.


Modeling tool: WQSTM -- the regulatory model currently used in Bay's TMDL. It is a coupled CH3D hydrodynamic model and CE-QUAL-ICM water quality model.


Hydrology Years: 1991-2000, which are the hydrology used in the Bay's TMDL assessment. Using hydrology from WSM P6 provisional, the prototype calibration.

Four Model Scenarios:

- 1) Base: calibration condition (1991-2000) of WSM p6 provisional.
- 2) SLR (Sea level rise) 50 cm SLR.
- 3) GW (Global warming) air T in 2050.
- 4) GW+SLR (Global warming and Sea level rise).










Global mean sea-level rise scenarios

Parris, A. et al. 2012. Global Sea Level Rise Scenarios for the United States National Climate Assessment. NOAA Technical Report OAR CPO-1. National Oceanic and Atmospheric Administration, Silver Spring, Maryland.






Boundary salinity setting





Adjusted Salinity


Monthly average salt flux at the boundary





Average Bottom and Surface salinity














- 2. Simulation of Water Temperature due to Global Warming
 - A) Water temperature will increase due to air temperature increase: through heat exchange between air and the water, as simulated in CH3D:

$$\partial Tw / \partial z = Pr / Ev \times K (Ta - Te)$$

Where, Tw: water temperature;

Ta: air temperature

Z: depth

Te: Equilibrium temperature

K: surface heat exchange coefficient

Ev: vertical Ekman number

Pr: Prandtl number

In order to simulate Tw in 2050, we calculated Te and K in 2050 which is a function of Ta in 2050, assuming no change in humidity and wind.



2. Simulation of Water Temperature due to Global Warming

A) Water temperature will increase due to air temperature increase: through heat exchange between air and the water, as simulated in CH3D:

$$dTw / dz = Pr / Ev \times K (T - Te)$$

Where, Tw: water temperature, Ta: air temperature

Z: depth

Te: Equilibrium temperature

K: surface heat exchange coefficient


Ev: vertical Ekman number


Pr: Prandtl number

In order to simulate Tw in 2050, we calculated Te and K in 2050 which is a function of Ta in 2050, assuming no changes in humidity and wind.


B) The Tw at the boundary also influence the Bay's Tw.


* it is better to estimate and set Tw at the boundary in 2050 condition.







Average Bottom and Surface temperature










- A measurable but small effect on hypoxia due to 2050 warming and sea level rise is estimated.
- Combined, the influence of the two tend to slightly reduce deep water and deep channel hypoxia in mid-Bay by about 0.1 mg/l.
- The influence of estimated increased precipitation intensity in 2050, 2050 land use, 2050 watershed loads, and 2050 tidal marsh loss by sea level rise are all expected to have greater detrimental impacts on Chesapeake water quality.



- Now the Modeling Team would like to focus on the climate change elements not yet completed for the 2050 assessment while continuing to examine the 2050 temperature increase and sea level rise scoping scenarios.
- Timelines are short for developing the entire climate change analysis by the close of 2015.

