Prioritization of Actions Listed in the Management Approaches Section for the Policy and Prevention Strategy

Criteria for Prioritization: (1) Addresses high loading sources (2) Leverages existing programs (3) Sequentially important to enable other high ROI activities (4) Proven effective in other watersheds

Regulatory Approach	nes	Priority
Monitoring	 Continue jurisdictional monitoring programs for PCB occurrence to assess need for new TMDLs and progress related to reducing PCB loads 	Н
Jurisdiction TMDL Implementation	 Continue TMDL implementation utilizing to the extent possible the outputs of this strategy including data compilations, results of enhanced monitoring, guidance documents and local-level input 	Н
	Determine areas that might benefit from the use of TMDL alternatives	М
EPA TMDL Support	EPA will work with the jurisdictions to evaluate the status of PCB TMDLs to determine needs for organizational and technical assistance. EPA and the jurisdictions will review the findings to determine the highest priority assistance needs.	M
	 Provide technical support to the jurisdictions to help determine whether PCB impairments could be addressed through the TMDL alternative. TMDL alternatives is a new approach that is available to the jurisdictions through the long-term vision for the 303(d) program and which allows for addressing an impairment without necessarily developing a TMDL. This approach may be valuable in waterbodies where there are not very many permitted sources. 	M
	 Summarize the ambient water quality standards and the fish consumption values that are used in the jurisdictions. 	M
Program Integration	Develop guidance on integration of the various programs addressing toxics to reduce inconsistencies in analytical methods, target thresholds, and investigation and remediation approaches (e.g. extent to which risk assessment requirements under contaminated site regulations evaluate potential carcinogenic effects from fish consumption by comparing ambient surface water concentrations of PCBs with human health criterion used in site cleanups).	Н
Enhance TMDL Progress Monitoring	Determine consistent implementation measures to use throughout the Bay watershed for tracking TMDL development and implementation progress.	Н

Data Compilation	Determine whether the jurisdictions compile existing PCB	Н
for Enhanced	outfall monitoring data for NPDES dischargers and assist	"
Regulatory	with development of systems to compile all available	
Programs	information from governmental and academic	
1108141113	organizations. This inventory will help determine	
	whether there is a need for additional monitoring	
	requirement to support TMDL development and	
	implementation.	
		Н
	EPA conducts an on-going National-scale Air Toxics Assessments (NATA). The 2011 NATA will be reviewed	
	upon release to identify the sources of and exposures to	
	·	
	air toxics, including PCBs, within the Chesapeake Bay watershed.	
		Н
	Assess the information that is available and forthcoming Assess the characteristics of Assesstic vivos and income by	""
	(e.g., the characterization of Anacostia river sediments by	
	DC Department of Environment) that describes the most	
	highly contaminated in-stream sediments in the	
	watershed to engage the jurisdictions and federal	
	regulators to explore the feasibility of additional remedial	
	actions such as capping and/or dredging.	М
	Explore options for making existing contaminated site Cont	IVI
	PCB concentration data available. This inventory will	
	provide information on the extent of PCB contamination	
	at contaminated sites and can be used to guide the	
	selection of analytical methods that align with detection	
	and quantification objectives to support TMDL	
	development and implementation.	Н
	The EPA Region 3 HSCD Site Assessment program will	
	continue to track sites that are being evaluated in the	
	Chesapeake Bay Watershed. Additionally, a GIS desktop	
	tool is being developed to assist HSCD in identifying	
	potential land sources of contamination in the	
	watershed. This project is not limited to PCBs, but any	
	type of contamination that could be migrating from	
	CERCLA sites and affecting the watershed. The GIS tool	
	will help to identify potential CERCLA sites and their	
	proximity to environmentally sensitive areas and	
	receptors to better focus on priority site evaluations. The	
	use of EJ SCREEN will be evaluated to identify the location	
	of such sites in areas with diverse populations.	Н
	The HSCD Site Assessment Program will conduct work The HSCD Site Assessment Program will conduct work The HSCD Site Assessment Program will conduct work	••
	share meetings with our State counterparts once per	
	year to determine who will be the lead agency for further	
	investigation of any potential PCBs sites that are on the	
	active sites list.	Н
	HSCD and TCW will continue to evaluate sites to identify industrial or processes that used BCBs. Once this list is	
	industries or processes that used PCBs. Once this list is	

	activity (e.g., dredging) which could impact a public water	
	upstream source of PCBs or is conducting any type of	
Source Protection	between the SDWA delegated authorities and the public water supply utilities and any entity that has located an	
Drinking Water	Identify opportunities for improved communication hot ween the SDWA delegated authorities and the public	L
Dainline Weter	PCBs in the Bay. Phase 2 of the clean-up is commencing.	
	Cowpen Creek, is considered to be a major contributor to	
	Maryland. The Middle River facility, which is located on	
	Lockheed Martin plant located in Middle River,	
	Environment to oversee the PCB clean up at the	
Middle River, MD	continue to partner with the Maryland Department of	
PCB Clean-Ups and	The EPA R3 LCD Office of Materials Management will	Н
	involve potential for illegal disposal and significant risk.	
	Branch will also responds to on tips/complaints that	
	communities, or permitting. The R3 Toxics Program	
	on potential for releases, cumulative burden on EJ	
	enforcement program. Inspections will be targeted based	
	TSCA regulations through its PCB inspection and	
and Enforcement	Branch will continue to ensure compliance with PCB	
TSCA PCB Program	The EPA R3 Land and Chemicals (LCD) Toxics Program	Н
	returns to compliance in an expeditious manner.	
	enforcement authority, to ensure that the permittee	
	timely and appropriate action, including exercising its	
	compliance with its compliance obligations, EPA will take	
	requirements are met. If a permittee is in non-	
	enforcement authorities, will ensure that permit	
	and its independent compliance monitoring and	
	NPDES Enforcement Program, through state oversight	
	ensuring that PCB WLAs are clear and enforceable. The	
	Program will draft and review permits with a focus on	
	consistent with the TMDL. The NPDES Permitting	
	NPDES Permitting program will ensure that permits are	
	been established creating WLA for point sources, the	
	waters have been identified as impaired and a TMDL has	
Enforcement	address PCBs through the CWA framework. Where	- •
Permits and	The EPA R3 NPDES Permits Branch will continue to	Н
	under the appropriate authority.	
	have found, HSCD can investigate those potential sources	
	there are potential land sources that other programs	
	the progress monitoring of this strategy. Additionally, if	
	discovered, HSCD will share this information as part of	
	of PCBs, or other contaminants that are migrating into the watershed from contaminated land sources are	
	investigating these types of sites. As significant sources	
	can better focus resources on identifying and	

monitoring frequency at the public water supply and	
preventing impacts to drinking water supplies.	

Education and Awa	areness	
Guidance Development	Develop PMP guidance document for the control and reduction of PCBs in NPDES regulated stormwater and wastewater including an inventory of stormwater BMP options. This document would provide guidance to all Bay jurisdictions in implementing PCB load reductions established for dischargers through TMDL development while recognizing the need for flexibility in PMP design. Develop guidance for unregulated sources of PCBs for use in developing implementation plans under TMDLs. (New)	Н
Education and Awareness Activities	Coordinate educational workshops to provide the general public, local governments and regulated stormwater facilities owners with expert knowledge regarding human health impacts from PCBs, existing and tracking new sources of PCBs in the environment, monitoring and actions that can be taken to eliminate these sources preventing the contribution of PCBs. Include best practices for conducting historical and community-participatory research.	L
	The TCW will conduct a workshop on sediment remediation technologies to provide the latest information on ongoing remediation activities in the watershed, recent developments in remediation options, and the costs associated with remediation.	М
	Working with local government and non-profit organizations, the TCW will inform the public regarding risks from consuming contaminated fish by developing communications materials and corresponding procedures for their dissemination throughout the targeted communities.	Н
	Compile education materials regarding existing procedures and best practices for containment and prevention of release of PCBs. (new)	Н

Voluntary Programs	3	
Equipment Phase-	Coordinate a voluntary action program to reduce	M
out	transformers and other PCB containing equipment (e.g.,	
	fluorescent light ballasts). Include those classified as PCB	
	free (less than 50 ppm) Provide to program participants	
	information on remediating PCB contamination on-site	
	from historical releases of these transformers and use	
	EPA's EJ SCREEN tool to help identify where such	
	equipment is located in areas with diverse populations.	

Community	The TCW will work with local non-profits to explore the use	L
Involvement	of volunteers to support the work of PCBs source-	
	tracking, identifying the best opportunities for community-	
	participatory research into local environmental history.	

Support enhancement of available information on	MHM
construction activities associated with the	
demolition/remodeling of buildings PCB containing	
materials and disturbance of contaminated soils is a source	
of PCBs in unregulated and NPDES regulated stormwater.	
Conduct literature search to investigate whether land	МНН
application of biosolids in commercial and agricultural	
practices is a pathway for PCBs in unregulated and NPDES	
regulated stormwater. Based on results, determine whether	
additional research is needed.	
Conduct research initiative to investigate whether land	MHM
application of dredged material from the maintenance of	
stormwater BMPs is a source of PCBs in unregulated and	
NPDES regulated stormwater. Based on results, determine	
whether additional research is needed.	
Support research on cost-effective tools for track-down	ннн
studies and provide a mechanism for municipalities to share	
information on lessons learned from PMP development and	
implementation strategies and methods for documenting	
and sharing the information.	
Review the 2015 NATA report to determine the need for	MMM
further investigation of atmospheric sources of PCBs,	
characterization of PCB concentrations in atmospheric	
deposition to the watershed and Bay, and determine the	
significance of these sources for bioaccumulation in fish.	
Homolog distribution profiles for PCBs in atmospheric	
deposition could be evaluated to determine whether mid-	
weight congeners are present at levels that significantly	
contribute to bioaccumulation in fish.	
Conduct literature search to evaluate the contribution of	LLM
smaller combustion sources to PCB loads in the watershed.	
Example sources include residential wood stoves, fireplaces,	
oil burners that use recycled oil and backyard trash burning.	
The sheer number of them, combined with their poor	
dispersion characteristics, might make these sources, when	
aggregated, a measureable source of deposition to the Bay	
or to smaller sub-watersheds. An evaluation of these	
sources in the Chesapeake Bay watershed could informative	
as part of a future source track-down study.	
A project is underway to determine the relative amount of	ннн
PCB reduction that might occur across the range of BMPs	
	construction activities associated with the demolition/remodeling of buildings PCB containing materials and disturbance of contaminated soils is a source of PCBs in unregulated and NPDES regulated stormwater. • Conduct literature search to investigate whether land application of biosolids in commercial and agricultural practices is a pathway for PCBs in unregulated and NPDES regulated stormwater. Based on results, determine whether additional research is needed. • Conduct research initiative to investigate whether land application of dredged material from the maintenance of stormwater BMPs is a source of PCBs in unregulated and NPDES regulated stormwater. Based on results, determine whether additional research is needed. • Support research on cost-effective tools for track-down studies and provide a mechanism for municipalities to share information on lessons learned from PMP development and implementation strategies and methods for documenting and sharing the information. • Review the 2015 NATA report to determine the need for further investigation of atmospheric sources of PCBs, characterization of PCB concentrations in atmospheric deposition to the watershed and Bay, and determine the significance of these sources for bioaccumulation in fish. Homolog distribution profiles for PCBs in atmospheric deposition could be evaluated to determine whether midweight congeners are present at levels that significantly contribute to bioaccumulation in fish. • Conduct literature search to evaluate the contribution of smaller combustion sources to PCB loads in the watershed. Example sources include residential wood stoves, fireplaces, oil burners that use recycled oil and backyard trash burning. The sheer number of them, combined with their poor dispersion characteristics, might make these sources, when aggregated, a measureable source of deposition to the Bay or to smaller sub-watersheds. An evaluation of these sources in the Chesapeake Bay watershed could informative as part of a future source track-down study. • A

	implemented for the Chesapeake Bay nutrient and	
	sediment TMDL. The BMPs will be cross-correlated with	
	contaminant pathways and their association with land use	
	and industrial sources (e.g., urban stormwater, agriculture,	
	landfills, dredged material disposal facilities, hazardous	
	waste sites, and industrial operations). The study will assess	
	and explain the most beneficial management actions that	
	could leverage current TMDLs and watershed	
	implementation plans (WIPs) to achieve multiple benefits	
	for nutrient, sediment, and toxic contaminant reductions.	
DCD Monitoring		ннн
PCB Monitoring	Encourage use of the high-sensitivity congener-based DCD to provide the DCD common and the provide the p	ппп
	methods to analyze PCBs to ensure that PCB sources are	
	being characterized accurately when such characterization	
	can help with source identification.	
	Identify barriers and opportunities related to more	ннн
	frequent use of EPA 1668 for contaminated sites,	
	wastewater and regulated and unregulated stormwater	
	dischargers as a screening tool (as is underway in VA) or for	
	a targeted subset of permittees. This effort could also be	
	targeted to industrial stormwater permittees with SIC	
	classifications that indicate the facility has the potential for	
	PCB contamination on site from historical use or current	
	operation or disposal of PCB containing materials.	
Inadvertent	Explore opportunities to reduce the inadvertent	нмм
Production	manufacture of PCBs through the implementation of	
	pollution prevention measures in applicable industries.	
	Review Environmental Council of States resolution on PCBs	
	for additional opportunities to reduce the inadvertent	
	manufacture of PCBs.	
	TCW will reach out to other groups to discuss how to	
	address other, non-PCB contaminants	