# Chesapeake Bay Program Partnership's BMP Expert Panel Protocols - Governance

Lucinda Power, Acting Chief Science, Analysis, and Implementation Branch October 17, 2019 Management Board Meeting

## Determine Need for BMP Expert Panel


- BMP Panel requests should be submitted to the Chair and Vice Chair of the relevant source sector Workgroup or the GIT
  - Every six months, the GIT or Workgroup will develop a list of priority BMPs for which they have determined Expert Panels are warranted. The WQGIT, working with the Workgroup or GIT Chairs, will develop a combined priority list of BMPs for which new BMP Expert Panels will be convened over the course of the coming year. Proposed technologies and practices that have been identified by jurisdictions in their WIPs will be given highest priority.
- These groups will determine if sufficient credible data is available for a full review process
  - Alternatively, these groups may determine that the requested BMP is sufficiently similar
    to a previously approved practice or can be combined with another panel request
- When a GIT or a source sector Workgroup determines a request lacks sufficient credible data for a full review process, they will communicate that finding to the WQGIT along with a letter to the requestor describing the basis for such decision

## Convening a BMP Expert Panel

When a GIT or source sector Workgroup determines there is sufficient credible data for a full BMP Expert Panel, they will communicate that finding to the WQGIT and coordinate the following:

- The proposed list of Panelists, as well as the draft scope and charge of the Panel, the panelist credentials, CVs, and associated conflict of interest disclosures, will be sent via email to the source sector Workgroups, the WTWG, the GITs, and the Advisory Committees for their review and comment.
- The elements of a Panel charge should include the following, at a minimum:
  - Background (identification, scope, and definition) of the specific practice(s) under Panel review and deliberation
  - Recommendations for Expert Panel member expertise
  - Development of a Panel report to address the guidelines and information outlined on pages 5 and 6 of the BMP Expert Panel Protocol
  - Proposed timeline for the Panel to finalize their recommendations and submit the Panel report for CBP partnership review.

## Partnership Review & Approval Process for BMP Expert Panel Reports



CBP Partnership has Opportunity to Review and Comments on Draft Panel Report during Each Stage of Review Process

To better ensure effective resolution of comments, all interested partners, groups or individuals are encouraged to submit their comments during the first review and comment period. New comments at later stages will be considered, but the Panel can more effectively address substantive comments the earlier they receive them.

\*The Panel Chair and Coordinator are responsible for developing a "Response to Comments" document based on feedback received through partnership review. The "Response to Comments" document will be attached to the final Panel report.

## Consensus Decision-Making

- Commenters are requested to notify the Panel Chair, Panel Coordinator, and the Workgroup/GIT Chair prior to the approval meeting if they intend to register a major objection to an Expert Panel report, and request time on the meeting agenda to explain their perspectives.
- If objections to a Panel report are not addressed in time of the approval meeting, the Workgroup/GIT Chair may table the action until the next meeting of the Workgroup/GIT. In cases where an objection is not identified before an approval meeting, the Workgroup/GIT Chair may choose, at his or her discretion, to ask the Workgroup or GIT to approve the report.

## Consensus Decision-Making

- In the event that the Expert Panel recommendation(s) are substantively modified during the review and approval process and the Panel membership does not support such changes, a document will be generated that explicitly details the modifications to the original Expert Panel recommendations and the justification for such changes and any unresolved issue(s) or dissenting opinions. The original Panel report will be attached to that document as an appendix.
- In the event that a comment does not result in a change to the Panel's report, the Panel Chair and Panel Coordinator shall work with the specific commenter(s) to resolve the issue. For those comments not addressed in the final panel report, members can request that their comments be appended to the panel report.

## Consensus Decision-Making

- Although the goal is consensus, and every effort has been made to address any comments, timelines may necessitate the report moving forward.
- In all cases, the CBP partnership and WQGIT Governance Protocols will be followed.
  - If consensus cannot be reached and time does not allow for reconsidering and revising the proposal, the decision will be elevated to the next level in the hierarchy with a description of the position of the members, in particular those of dissenting members.

## Cropland Irrigation Expert Panel Recommendations Report

## Jason Keppler Chair, Agriculture Workgroup

On Behalf of the Water Quality Goal Implementation Team Introduction from James Martin, WQGIT Co-Chair

Presentation to the Management Board
October 17th, 2019

## **Summary:**

#### **Panel Purpose**

To provide scientifically justified recommendations that could replace the interim BMP efficiency associated with cropland irrigation for the Delmarva Peninsula.

#### **Results**

- Most studies reviewed were done in the Mid-West, and were done to compare the effectiveness of various types of irrigation technologies, not looking at nutrient fate and transport.
- Local field studies were inconclusive or suggested higher nitrogen loss on irrigated lands.

#### **Agriculture Workgroup**

- No consensus on approving panel recommendation.
- No consensus on keeping current interim BMP efficiency.

#### **Water Quality GIT**

- No consensus on approving panel recommendation.
- Consensus (no objections) on keeping current interim BMP efficiency.

## **History of Cropland Irrigation at CBP**

#### Interim practice: "Cropland Irrigation"

- Approved for planning purposes: Phase 5.3.2 watershed model (circa 2012)
- Definition: "Cropland under irrigation management is used to decrease climatic variability and maximize crop yields. The potential nutrient reduction benefit stems not from the increased average yield (20-25%) of irrigated versus non-irrigated cropland, but from the greater consistency of crop yields over time matched to nutrient applications. This increased consistency in crop yields provides a subsequent increased consistency in plant nutrient uptakes over time matched to applications, resulting in a decrease in potential environmental nutrient losses"
- 4% nitrogen efficiency (loss reduction)
  - Documentation for this efficiency value not available

## What is an interim BMP?

#### Requested by the states/partners for planning purposes

- Can be used in planning scenarios only (milestones and WIPs)
- Cannot be submitted for annual progress in order to judge if states fulfilled milestone and WIP commitments
- Should have scientific justification

#### Comparability to future approved BMP is important

- EPA and states should have confidence that the mechanics (model representation, reporting units, load source, etc.) of the interim BMP will be similar/identical to the future approved BMP
- Load reductions and/or efficiency values associated with interim BMPs must lean conservative
  - Because values and assumptions have not been reviewed by an Expert Panel

#### Often referred to as a "placeholder" BMP

Creates expectation that there will be a partnership-approved BMP in the future

#### Partnership-approved BMPs must go through an Expert Panel

- Interim BMPs have not gone through an Expert Panel
- Interim BMP status does not guarantee future approval of the BMP for crediting towards load reductions

## History of Cropland Irrigation at CBP cont'd

#### **Expert Panel: Cropland Irrigation**

- CBP expert panel membership approved and convened August 2016
  - Primary Charge: determine water quality benefits of cropland irrigation related to nitrogen, phosphorus, and sediment
- Panel membership included representatives from:
  - VA DCR
  - USDA-ARS (Beltsville, MD)
  - University of Delaware Extension
  - USGS (Dover, DE)
  - USDA-NRCS (Easton, MD)

| Date                   | Action   |
|------------------------|--|
| January 16, 2019       | Recommendations Report released for review   |
| February 26, 2019      | Webinar and Public Meeting: Recommendations of the Cropland Irrigation Expert Panel (EP)   |
| March 12, 2019         | Final day for partnership feedback (no feedback received)  |
| March 21, 2019 (AgWG)  | Panel Chair requests approval from AgWG; decision postponed pending DE feedback  |
| April 15, 2019         | DE feedback submitted to AgWG leadership and EP  |
| April 18, 2019         | Panel Chair acknowledges receipt of DE feedback and anticipated panel review in time for decision for approval at May AgWG meeting.  |
| April 18 – May 7, 2019 | Draft responses compiled and shared with panel; panel convenes to discuss feedback and responses; consensus from the panel on the responses and acceptable revisions to the report |
| May 9, 2019            | Revised report and responses from panel distributed for AgWG   |
| May 16, 2019 (AgWG)    | Panel Chair requests approval from AgWG, captured lack of consensus for WQGIT  |
| June 10, 2019 (WQGIT)  | Panel Chair proxy requests approval from Water Quality GIT, captured lack of consensus for MB  |
| Sept 19, 2019 (MB)     | DE requests approval of alternative EP review process, MB decides to allow DE to petition AgWG for new EP when new relevant science available.                                     |
| Oct 17, 2019 (MB)      | WQGIT requests decision from the MB regarding approval of recommendations report   |

## <u>Summary of Findings on Cropland Irrigation</u>

#### 120+ peer-reviewed research papers considered (most outside CBW)

- Very limited research addressing WQ Issues on irrigated land
- Limited applicability due to different climatic/soil conditions
- Limited research on irrigation systems other than center pivot
- Limited research on crops other than corn

Primary intention of irrigation practices is to maximize crop yield

Rainfall unpredictable within the watershed, influencing dynamics of irrigation

Soils vary across the watershed, influencing dynamics of irrigation

All aspects of irrigation influence the amount of nitrogen loss

Current research does not sufficiently show a water quality benefit

## Panel Recommendation

The Expert Panel agreed that there is not sufficient science-based research available to indicate a reduction in N losses due to irrigation of corn, therefore an N efficiency value cannot be established at this time.

This does not preclude the possibility of revisiting cropland irrigation as a BMP for a future expert panel, should a more robust catalogue of scientific research literature addressing cropland irrigation management and its water quality impacts emerge.

The panel strongly encourages further research on the impacts of cropland irrigation on nutrient and sediment loss and encourages the readers to review the Ancillary Benefits and Unintended Consequences and Future Research and Management Needs Section of the recommendations report (p. ii).

## Recommendations: Future Research

#### Better understanding of phosphorus behavior under irrigated conditions

#### Crop response and nitrogen use efficiency (NUE)

- Data collection on crop response to irrigation rate on the Coastal Plain
- Field tests of NUE assumptions regarding non-irrigated vs. irrigated plots under Delaware field conditions (Sims et al. 2012) and the impact of those assumptions on nitrogen loss.
- CBW field research on supplemental irrigation.
  - Inconclusive data limits the assertion that increased crude protein in corn is an indication of less nutrients subject to leaching.

#### **Nutrient source**

Explore the impact of litter and manure application under irrigated conditions

#### **Nutrient Management**

• Research on most efficient nitrogen rates for irrigated corn and other crops to ensure that nutrient application recommendations are based off the latest scientific data.

## Recommendations: Future Research cont'd

#### **Water Quality**

- Sensitivity analyses of studies looking at nitrogen leaching associated with irrigation to account for potential noise in the observed data.
- Development of model scenarios to address impacts of various environmental conditions on potential for nutrient leaching and transport.
  - Identification of modeling data that does exist that can inform evaluation of irrigation under different environmental conditions.
- Monitoring water and land management practices in a strategic manner to collect the data most critical to informing modeling scenarios.
  - A long-term (5-8 year) study with broad participation is needed to get a better sense of average conditions.
- Research and data informing the conditions under which a water quality benefit could be expected from cropland irrigation.
  - (e.g., weather, water management, nutrient management, healthy soil practices, soil organic matter content).

## Recommendations: Future Research cont'd

#### Irrigation management

- Bay watershed research on variable rate irrigation to address irrigation on fields encompassing wetlands or uneven soil moisture conditions.
- Bay watershed research on the interaction of irrigation management with other measurable variables.
  - (e.g., yield, biomass, soil moisture)

## DE Feedback & Panel Response Summary

| Recurring Comment   | Panel Response (abridged)  |
|---|--|
| #1: Edits for clarity or substance  | <ul> <li>Considered minor clarifying edits on a piecemeal basis</li> <li>Will not accept inserted/revised text that is not adequately cited/supported</li> <li>Will not accept any edits that change the substance of the panel's reasoning or conclusions.</li> </ul>                         |
| <b>#2: (MODELING)</b> DE expects that a modeling exercise be undertaken either by this expert panel or by a new expert panel before a final report be approved without an efficiency estimate. This effort is endorsed by the BMP EP Protocol and there is no justification in this report why such an exploration was not attempted by this panel. | <ul> <li>Disagrees with the commenter and feels that the report, as written, appropriately justifies its conclusions.</li> <li>A new panel cannot be considered until the partnership finalizes the current report and releases the current panel for the completion of its charge.</li> </ul> |
| <b>#3: (RESEARCH APPLICABILITY)</b> Studies of irrigation in the Midwest or other regions have limited applicability in the CBW or the Delmarva; should not be included or considered in the report or the panel's conclusions.   | <ul> <li>Limitations of the available research studies acknowledged throughout the report.</li> <li>Will not remove sections or statements that summarize such studies - serves as useful documentation for future expert panels or research efforts.</li> </ul>                               |
| <b>#4</b> : <b>(NUE as water quality determinant)</b> The panel should recommend a nitrogen efficiency for cropland irrigation based on estimates of improved nitrogen use efficiency (NUE); the panel confused or did not fully account for NUE.   | <ul> <li>Data considered from Virginia Tech field trials presented by Wade Thomason (p. 25; Figure 8).</li> <li>There was not sufficient data for the panel to define an overall nitrogen efficiency based solely on changes in NUE of corn.</li> </ul>  |
| <b>#5:</b> Various edits/comments pertaining to section summarizing University of Delaware study (Shober et al., 2018).   | The panel appreciates the suggested edits from the study author (Amy Shober) and will incorporate these cumulative edits in its revised draft. (Note: revisions to this section were made and accepted, therefore not marked up in May 9 version for readability)                              |

## Decision Recap

| Decision Item                                    | Agriculture Workgroup   | Water Quality GIT   |
|--|---|---|
| #1. Approval of panel report and recommendations | Non-consensus  Stop: DE Hold: PA Stand Aside: MD, WV Agree w/ Reservations: NY, CBC Endorse: EPA, Ken Staver*, Paul Bredwell*, Jeremy | Non-consensus  Objections:  Stop: DE Hold: PA Stand Aside: MD |
| #2. Keep or remove interim BMP                   | Non-consensus  Keep: DE, MD, NY, PA, CBC, Jeremy Daubert  Remove: VA, EPA, Ken Staver, Paul Bredwell, Gurpal Toor                     | Consensus  No objection to keep interim BMP                   |


## Management Board Decision Item

<u>Decision Requested</u>: The MB is asked for a final decision on the approval of the recommendation report.





#### **Consensus Continuum**



#### **DE Comments**

The report both dismisses (p16) and embellishes (pp16-25) the relevance of mid-west research studies as a proxy for CBW effects for irrigation. As the report states, the ubiquity of irrigation in the mid-west limits the applicability of the results to our region and systematically limits the comparison to dryland production, which for the CBW is a baseline condition. These papers, rather than be categorically summarized and cited, should merely be referenced as the independent variables are insufficiently similar to CBW to influence the report's findings, again stated on page 16 of the report.

## [DE questions inclusion of limited-applicability research]

#### **Panel Response**

The panel worked to summarize available information. Given the panel's recommendations for future research needs, it was important to document information even if obtained from studies in other regions. This section will be kept as-is.

| DE Comments  | Panel Response  |
|--|---|
| The term of baseline conditions are used interchangeably to refer to regional agriculture status | The panel acknowledges that terms like "baseline condition" are used with variable meanings,  |
| quo, model conditions without a BMP, irrigation system parameterization and soil                 | especially in CBP technical documents and discussions that span modeling and real-world   |
| moisture/background N levels.  [DE questions inconsistent use of "baseline"]                     | considerations. The panel feels that its usage of "baseline conditions" is appropriate when viewed in context of the respective statements, but we will |
| throughout report]   | consider editing specific instances for clarity.  |

| DE Comments   | Panel Response  |
|---|---|
| The report should diligently list for all studies whether antecedent groundwater (used as irrigation) nitrate was measured, reported or corrected for when considering the nutrient use efficiency of irrigated crops compared to dryland acreage. Also reported consistently should be the method by which irrigation rates were determined. | In the cases when studies did account for this, it was noted in the report. |
| [DE questions consistency of inclusion of research methods for cited studies]   |   |

#### **DE Comments Panel Response** The final version of this report, perhaps inadvertently, The panel focused primarily on nutrient losses largely ignores the other major pathway for nutrient below the root zone (the primary pathway for N loss, overland flow. This component should be loss), as other BMP panels have done for cropland carefully considered and added as a parameter for **BMPs.** The panel chair reached out to irrigation rating irrigation. Improper sprinkler irrigation can experts for research on overland flow related to promote overland loss according to newly cited irrigation, but could not find anything that would research presented in these comments and some affect the panel's existing conclusions. Anecdotal measure was taken to better incorporate this concept information indicates that nutrient loss by overland in the marked up report. flow is magnified when irrigation is not managed based on soil moisture or weather forecasts. [DE questions absence of overland flow as a considered pathway for nutrient loss.]

| DE Comments  | Panel Response   |
|--|--|
| The report's scientific literature review mixes approaches for assessing nitrogen benefits on irrigation. Nitrogen use efficiency (NUE) is a proxy for the reduced leaching or overland flow of nitrogen, and measured soil nitrate below the root zone is an acceptable direct measure for leaching loss. These approaches for effectively measuring an irrigation treatment would rarely if ever be mixed and the report should consider them separately. The comingling of approaches may have resulted in confusion when searching for effectiveness because no study reviewed had both.  [DE questions the panel's narrative approach to discussing NUE and soil nitrate measurements | The panel considered data from Virginia Tech field trials presented by Wade Thomason (p. 25; Figure 8). There was not sufficient data for the panel to define an overall nitrogen efficiency based solely on changes in NUE of corn. |
| below the root zone.   |  |

#### **DE Comments**

Additionally, Delaware would like to reiterate, commensurate with the BMP Expert Panel review protocol, modeling exercises can be used to justify the benefit of a BMP where peer-reviewed or unpublished data fail to provide a reliable estimate. The CBPO submitted version of this report states that there was not sufficient science-based evidence to indicate a reduction (p16). While we believe there is this evidence, as presented in this letter, further simple model experimentation calculating N savings as prevented loss of N from drought induced underperformance in cropland under regional nutrient management can be cited as evidence for an efficiency so long as it is weighted less than other local, science-based research.

Delaware expects that this effort be undertaken either by this expert panel or by a new expert panel before a final report be approved without an efficiency estimate. This effort is endorsed by the BMP EP Protocol and there is no justification in this report why such an exploration was not attempted by this panel.

[DE questions panel's decision not to engage in a modeling exercise to justify cropland irrigation as best management practice for water quality.]

#### **Panel Response**

The panel agrees that future modeling analysis should be done to supplement future research and improve our understanding of nutrient leaching and transport. However, this panel strongly disagrees that it is the appropriate forum for such analysis. The panel report documents the panel's thought process and logic for its existing conclusion and it will not consider such additional analysis on its own. The panel stands behind its conclusion and furthermore does not have available time or resources to continue such work that it undertook starting in 2016. The panel disagrees with the commenter and feels that the report, as written, appropriately justifies its conclusions. Furthermore, a new panel cannot be considered until the partnership finalizes the current report and releases the current panel for the completion of its charge.

| DE Comments   | Panel Response   |
|---|--|
| Degree-earning research is recommended by               | The panel thanks Delaware for providing the thesis       |
| Delaware reviewers as references to be subsequently     | paper. However, the panel firmly rejects the             |
| and natively added to this report. The suggested 15%    | suggested 15% nitrogen efficiency value. This value,     |
| nitrogen efficiency, justified by Soroka (2015), has    | derived from analysis of 35 years of corn variety trials |
| been added in a red-line review of the report, but the  | at the University of Delaware, suggest that rainfed      |
| Panel is the only body empowered to dictate a           | plots are "80 and 85% as efficient as irrigated plots in |
| summary of the newly provided research in the           | converting applied N to grain yield."                    |
| appropriate sections of the report.                     | The panel considered NUE as described in the             |
|   | Virginia Tech sub-section of the Recent Irrigation       |
| [DE recommends a 15% N efficiency based on Soroka (2015 | Research in the Chesapeake Bay Watershed section.        |
| master's thesis from University of DE)                  | The panel's best professional judgment led them to       |
|   | conclude that a nitrogen efficiency cannot be            |
|   | determined at this time.                                 |

| DE Comments   | Panel Response  |
|---|---|
| Included as an attachment to this letter is an itemized | The comments are summarized below in this table       |
| summary of comments from the two named                  | (See Appendices D-E) alongside responses.             |
| reviewers to facilitate the Expert Panel's response.    | The panel thanks Delaware for its extensive review    |
| Delaware hopes concurrence of the suggested             | and feedback, but under the BMP Protocol is           |
| changes can be accommodated by the expert panel         | empowered to reject or disagree with suggested        |
| and is dually supportive of on-going research to        | revisions to the report. If the Partnership wishes to |
| continue to justify the water quality benefits and      | include changes over the objection of the expert      |
| limitations of this practice. The comments,             | panelists, the BMP Protocol provides for that option. |
| suggestions and concerns raised in these documents      | The panel stands behind its conclusions and           |
| shall in no way diminish the effort of the Expert Panel | recommendations as written and with the               |
| convened to tackle this scientific question.            | acceptable minor changes acknowledged within this     |
|   | table (See Appendices D-E)                            |
| [DE included an itemized summary of the suggested edits |   |
| for the Expert Panel Recommendations Report             |   |